CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 99, 2006

A

Adamczyk, J. J., Jr., 671, 1835
Addison, P. J., 273
Ahmad, A., 1085
Ahn, Y.-J., 593, 954, 1733
Albajes, R., 331
Alford, R., 1203
Ali, M. I., 164
Aliano, N. P., 1579
All, J. N., 1583, 1711
Allen, K. K., 1691
Allen, M. L., 476
Alma, A., 578
Almeida, R.P.P., 2185
Alston, D. G., 1722
Aluja, M., 1184
Alves, A. P., 494
Alyokhin, A. V., 1203
Andaloro, J. T., 176
Andersen, C. L., 803
Anderson, K. G., 1842
Anderson, W. G., 203, 212
Andow, D. A., 502
Anhold, J. A., 393
Antilla, L., 946
Arbogast, R. T., 601
Armengol, G., 1590
Armstrong, J. S., 323
Armsworth, C. G., 1194
Arnó, J., 331
Arnold, M. D., 67
Arouni, R., 1273
Arquette, T. J., 873
Arthur, F. H., 1007, 1017, 1509
Ashley, J. L., 54
Assogba-Komlan, F., 450
Athanassiou, C. G., 229, 1520, 1899, 1905, 2191
Aubert, M., 253
Aubuchon, M. D., 621
Aucejo-Romero, S., 1490

B

Babcock, J. M., 1381
Bacci, L., 2177
Backus, E. A., 537
Baird, L. M., 212
Baker, C. A., 1854
Baker, G., 2171
Baker, J. R., 1104
Baker, P. B., 1112, 1345
Ball, O. J.-P., 1462
Barak, A. V., 308, 664, 1628
Barata, R. M., 519
Barker, G. M., 273
Barney, W., 1129
Barry, J. D., 1161
Bartels, D. W., 1936
Barton, L.E.E., 1194
Bartsch, D., 1768
Bauce, E., 401, 2038
Bauer, L. S., 85, 383, 1096
Baur, R., 1310
Baxendale, F. P., 203, 212, 222
Baxter, I. H., 1194
Beattie, G.A.C., 421, 1321
Beers, E. H., 1369
Behle, R. W., 1120
Bell, M. C., 437
Bellamy, D. E., 1345
Belliure, B., 1273
Bengtsson, M., 1245
Bennett, G. W., 879, 1761, 2219
Benshemesh, J., 244
Bentley, W. J., 1280
Bentur, J. S., 2091
Berenbaum, M. R., 1046
Beresford, D. V., 1025
Berkebile, D., 1415
Biddinger, D., 834
Biggs, R. W., 1525, 1925, 2125
Bigurra, E., 1184
Binns, M. R., 987
Birke, A., 1184
Bishop, B., 288
Bloem, S., 699, 707
Bohac, J. R., 1877
Bonato, O., 1143
Bonizzoni, M., 1420
Bonning, B. C., 1129
Borboa-Flores, J., 2146
Borys, R. R., 1691
Bosa, C. F., 1245
Bosch, J., 408, 626
Bosu, P. P., 393
Bourguet, D., 685
Bourham, M. A., 38
Bowling, R., 1682
Bowling, R. D., 48
Boyd, D. W., Jr., 2136
Boykin, D., 1565
Boykin, R., 176
Boyko, E. V., 1430
Bradley, J. R., Jr., 1790
Braman, S. K., 671, 1583, 1699, 1711
Brandenburg, R. L., 671, 1948
Brar, S. K., 1065
Brashears, A. D., 67
Brewster, C. C., 54, 1235
Broughton, M. J., 1826
Brown, J. J., 745, 771
Bruno, J. M., 1430
Buchelos, C. T., 1899
Budia, F., 359
Burd, J. D., 959, 1862, 2151
Bures, B. L., 38
Burgio, G., 1268
Buschman, L. L., 502, 2100
Bush, L. P., 1462
Büyükgüzel, K., 1225
Byers, J. A., 1550
Byrne, F., 141

C

Cain, R. J., 373
Calyecac, G., 797
Campbell, J. F., 583, 1017, 2202
Campbell, L. R., 1884
Cao, H., 858
Caprio, M. A., 483, 2116
Carbonell, E. A., 1273
Carisey, N., 2038
Carlson, D. A., 182
Carpenter, J. E., 699, 707
Carrière, Y., 920, 946, 1396, 1525, 1925, 2125
Carroll, S. C., 67
Casteel, C. L., 537
Castle, S. J., 141, 1805
Chandler, L. D., 483
Chandre, F., 450
Chauzat, M.-P., 253
Cheah, C.A.S.-J., 1258
Chen, A., 432
Chen, H., 2065
Chen, J., 476, 634
Chen, S., 1784
Cherry, R. H., 1446
Chi, H., 691
Chilcutt, C. F., 728, 2164
Chini, S. R., 601
Chiu, M. C., 1209
Cho, J.-R., 954
Choi, B.-R., 1733
Choi, D.-R., 593
Choi, I.-H., 1717
Choosai, C., 1531
Christopherson, J., 1691
Cinco-Moroyoqui, F. J., 2146
Clancy, K. M., 393
Clark, P. L., 722
Clarke, S. R., 858
Clayton, G. W., 1665
Cloyd, R. A., 1596
Cognato, A. I., 1037

CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 99, 2006

A

Adamczyk, J. J., Jr., 671, 1835
Addison, P. J., 273
Ahmad, A., 1085
Ahn, Y.-J., 593, 954, 1733
Albajes, R., 331
Alford, R., 1203
Ali, M. I., 164
Aliano, N. P., 1579
All, J. N., 1583, 1711
Allen, K. K., 1691
Allen, M. L., 476
Alma, A., 578
Almeida, R.P.P., 2185
Alston, D. G., 1722
Aluja, M., 1184
Alves, A. P., 494
Alyokhin, A. V., 1203
Andaloro, J. T., 176
Andersen, C. L., 803
Anderson, K. G., 1842
Anderson, W. G., 203, 212
Andow, D. A., 502
Anhold, J. A., 393
Antilla, L., 946
Arbogast, R. T., 601
Armengol, G., 1590
Armstrong, J. S., 323
Armsworth, C. G., 1194
Arnó, J., 331
Arnold, M. D., 67
Arouni, R., 1273
Arquette, T. J., 873
Arthur, F. H., 1007, 1017, 1509
Ashley, J. L., 54
Assogba-Komlan, F., 450
Athanassiou, C. G., 229, 1520, 1899, 1905, 2191
Aubert, M., 253
Aubuchon, M. D., 621
Aucejo-Romero, S., 1490

B

Babcock, J. M., 1381
Bacci, L., 2177
Backus, E. A., 537
Baird, L. M., 212
Baker, C. A., 1854
Baker, G., 2171
Baker, J. R., 1104
Baker, P. B., 1112, 1345
Ball, O. J.-P., 1462
Barak, A. V., 308, 664, 1628
Barata, R. M., 519
Barker, G. M., 273
Barney, W., 1129
Barry, J. D., 1161
Bartels, D. W., 1936
Barton, L.E.E., 1194
Bartsch, D., 1768
Bauce, E., 401, 2038
Bauer, L. S., 85, 383, 1096
Baur, R., 1310
Baxendale, F. P., 203, 212, 222
Baxter, I. H., 1194
Beattie, G.A.C., 421, 1321
Beers, E. H., 1369
Behle, R. W., 1120
Bell, M. C., 437
Bellamy, D. E., 1345
Belliure, B., 1273
Bengtsson, M., 1245
Bennett, G. W., 879, 1761, 2219
Benshemesh, J., 244
Bentley, W. J., 1280
Bentur, J. S., 2091
Berenbaum, M. R., 1046
Beresford, D. V., 1025
Berkebile, D., 1415
Biddinger, D., 834
Biggs, R. W., 1525, 1925, 2125
Bigurra, E., 1184
Binns, M. R., 987
Birke, A., 1184
Bishop, B., 288
Bloem, S., 699, 707
Bohac, J. R., 1877
Bonato, O., 1143
Bonizzoni, M., 1420
Bonning, B. C., 1129
Borboa-Flores, J., 2146
Borys, R. R., 1691
Bosa, C. F., 1245
Bosch, J., 408, 626
Bosu, P. P., 393
Bourguet, D., 685
Bourham, M. A., 38
Bowling, R., 1682
Bowling, R. D., 48
Boyd, D. W., Jr., 2136
Boykin, D., 1565
Boykin, R., 176
Boyko, E. V., 1430
Bradley, J. R., Jr., 1790
Braman, S. K., 671, 1583, 1699, 1711
Brandenburg, R. L., 671, 1948
Brar, S. K., 1065
Brashears, A. D., 67
Brewster, C. C., 54, 1235
Broughton, M. J., 1826
Brown, J. J., 745, 771
Bruno, J. M., 1430
Buchelos, C. T., 1899
Budia, F., 359
Burd, J. D., 959, 1862, 2151
Bures, B. L., 38
Burgio, G., 1268
Buschman, L. L., 502, 2100
Bush, L. P., 1462
Büyükgüzel, K., 1225
Byers, J. A., 1550
Byrne, F., 141

C

Cain, R. J., 373
Calyecac, G., 797
Campbell, J. F., 583, 1017, 2202
Campbell, L. R., 1884
Cao, H., 858
Caprio, M. A., 483, 2116
Carbonell, E. A., 1273
Carisey, N., 2038
Carlson, D. A., 182
Carpenter, J. E., 699, 707
Carrière, Y., 920, 946, 1396, 1525, 1925, 2125
Carroll, S. C., 67
Casteel, C. L., 537
Castle, S. J., 141, 1805
Chandler, L. D., 483
Chandre, F., 450
Chauzat, M.-P., 253
Cheah, C.A.S.-J., 1258
Chen, A., 432
Chen, H., 2065
Chen, J., 476, 634
Chen, S., 1784
Cherry, R. H., 1446
Chi, H., 691
Chilcutt, C. F., 728, 2164
Chini, S. R., 601
Chiu, M. C., 1209
Cho, J.-R., 954
Choi, B.-R., 1733
Choi, D.-R., 593
Choi, I.-H., 1717
Choosai, C., 1531
Christopherson, J., 1691
Cinco-Moroyoqui, F. J., 2146
Clancy, K. M., 393
Clark, P. L., 722
Clarke, S. R., 858
Clayton, G. W., 1665
Cloyd, R. A., 1596
Cognato, A. I., 1037

Cohen, M. B., 2091
Colletto, N., 946
Collins, H. L., 176
Cooksey, D. A., 1058
Coombs, A. B., 2055
Cooper, S. G., 527
Corbellini, M., 757
Correa, J. C., 2164
Cortez-Rocha, M. O., 2146
Costa, H. S., 1058
Cotes, A. M., 1245
Coudron, T. A., 1462
Coughlin, L. A., 1525
Cougoule, N., 253
Couton, L., 1143
Coviella, C. E., 1051
Cowles, R. S., 1258
Crewe, R. M., 7
Cronholm, G. B., 502
Crosslin, J. M., 268
Crowder, D. W., 899, 1396
Cruz-Lopez, L., 797, 1994

D

Daane, K. M., 1280
Dabney, C. P., 1691
Damas, G., 937
Dames, J. F., 1
Danka, R. G., 1565
Davies, A. P., 2142
Davies, E., 1462
Davis, M. K., 469
DeGomez, T. E., 393
Della Lucia, T.M.C., 2177
Dellinger, T. A., 1235
Deng, Y., 1430
Dennehy, T. J., 946, 1396, 1525, 1925, 2125
de Oliveira, D., 443
Desjardins, È.-C., 443
Dhillon, M. K., 1452
Diaz, A. P., 811
Díaz-Fleischer, F., 1979
Díaz-Gómez, O., 797
Diaz-Montano, J., 1884
Dickens, J. C., 1203
Dickinson, A., 1596
Dietemann, V., 7
Difonzo, C., 76
Dillon, M. L., 155
Ding, H., 23
Doggett, S. L., 2132
Dogramaci, M., 559
Donohue, K. V., 38
Dorji, C., 1651
Dorn, S., 699, 707
Dosdall, L. M., 1665
Douches, D. S., 527
Dowsett, H. A., 308
Drew, R.A.I., 1651
Driesche, R. V., 803
Duetting, P., 23
Dunkel, F. V., 1826

E

Eager, T. J., 1691
Eber, S., 1768
Edelson, J. V., 559
Edwards, J. M., 1381
Eigenbrode, S. D., 23
Eliopoulos, P. A., 237
Ellersieck, M. R., 537
Ellers-Kirk, C., 946, 1925
Elliott, N. C., 1682
Ellis, M. D., 1579
Ellsworth, P. C., 1396
Elms, D., 1936
El-Sayed, A. M., 1550
Endersby, N. M., 2171
Enoki, A., 123
Epstein, D. L., 1327
Estoup, A., 685
Eubanks, M. D., 621
Evans, E. C., 614
Evans, E. W., 1967

F

Fabrick, J. A., 1525, 2125
Fadamiro, H. Y., 1334
Fargues, J., 1143
Fathipour, Y., 1820
Faucon, J.-P., 253
Feng, H.-T., 931
Fernandes, O. A., 2110
Fettig, C. J., 1691
Fidgen, J. G., 1500
Fitzgerald, C. J., 1749
Flinn, P. W., 1080, 2202
Folgarait, P. J., 295
Follett, P. A., 32, 822, 1138, 1974
Foottit, R. G., 1369
Forehand, L. M., 641
Forschler, B. T., 873
Foster, J. E., 722
Francisco Garcia, J., 2010
Franzen, L., 222
Fukumoto, T., 1245
Furuichi, H., 678

G

Gabarra, R., 331
Gable, R. H., 194
Gao, R., 383
Garcia, J. F., 1051
Garcia-Marí, F., 993
Gasperi, G., 1420
Gassmann, A. J., 920, 2125
Gathmann, A., 1768
Ge, F., 1636
Geary, M. J., 2132
Geden, C. D., 182
Geertsema, H., 341
Gevrey, M., 979
Gibson, K. E., 1691
Gilbert, L. E., 295
Giles, K. L., 559, 1002
Gispert, C., 1058
Glover, M., 421, 1321
Golden, M., 822
Gomez-Flores, R., 937
Gomulski, L. M., 1420
González, R., 1994
Gouge, D. H., 1112
Gould, F., 1790, 2091
Gould, J. R., 1605
Gous, S. F., 780
Grace, J. K., 1354
Grafius, E. J., 527
Grafton-Cardwell, E. E., 733
Graham, G. C., 155
Gravois, K., 966
Gray, M. E., 899
Greany, P., 1184
Grieshop, M. J., 1080, 2202
Grisoto, E., 2010
Grosman, D. M., 94
Gross, C. L., 828
Guan, L.-C., 714
Guédot, C., 626
Guglielmino, C. R., 1420
Guillebeau, L. P., 1583, 1711
Guillemaud, T., 685
Guo, Y., 893
Gustafson, D. I., 2116
Gut, L. J., 1316, 1327, 1705, 2048, 2055
Guzman, A., 1058
Gwinn, K. D., 1462

H

Haack, R. A., 85, 383, 790
Haigh, A. M., 437
Haley, S. D., 1862, 2151
Hall, D. G., 109
Hamilton, A. J., 2171
Hamilton, B., 664
Hammond, A. M., 2024
Hanboonsong, Y., 1531
Hannon, E. R., 771
Hansen, E. M., 373
Hanson, S. F., 313
Hardwick, S., 155
Harker, K. N., 1665
Harris, M. O., 508, 1842
Hasan, M. M., 1912
Haverty, M. I., 1691
Hayashi, T., 1912
Hayes, C. J., 393
Hazzard, R., 803
Head, G. P., 893, 2116
Hebertson, E. G., 1691
Hellmich, R. L., 1987
Henderson, S., 1525

Heng-Moss, T. M., 203, 212, 222
Henneberry, T. J., 141
Hepburn, H. R., 1
Herbert, D. A., 54
Herbert, K. S., 1774
Hermoso de Mendoza, A., 1273
Hernandez, J., 1590
Hernandez-Martinez, R., 1058
Hertlein, M., 176
Hessney, M. L., 1375
Higley, L., 212, 222
Hill, M. P., 1
Hinton, J. L., 502
Hoddle, M. S., 1813
Hoefler, C. D., 432
Hoepting, C. A., 1310
Hoffmann, A. A., 1774
Hoffmann, E. J., 2055
Hogendoorn, K., 828
Hogsette, J. A., 182
Hong, S. C., 850
Hopkins, D. C., 263
Hougard, J. M., 450
Houndete, T., 450
Houseman, R. M., 462
Hoy, C. W., 1388
Hsu, J.-C., 931
Huang, F., 194
Huang, H., 834
Huang, Q., 1628
Huang, Q.-Y., 455
Huckaba, R., 54
Hull, L. A., 349, 834, 1176, 1299
Hunt, T. E., 2110
Hwang, S.-H., 1209
Hwang, S.-Y., 714
Hyden, A. R., 502

I

Ifoulis, A. A., 1890
Il'ichev, A. L., 2048
Imamura, T., 1912
Ingram, R. L., 469
Iracheta, M. M., 937
Isaacs, R., 1316
Isman, M. B., 2015
Israelsen, C. E. 1967
Itakura, S., 123

J

Jacas, J. A., 1490
Jackson, D. M., 1877
Jackson, R. E., 1790
Jacobson, A. L., 313
Jakob, E. M., 432
Jallow, M.F.A., 1388
James, R. R., 626
Jeske, D. R., 1051
Jevremov, D., 2171
Jin, X., 664
Johnson, D. W., 537
Johnson, R. M., 1046
Johnson-Cicalese, J., 1474
Jyoti, J. L., 1214

K

Kabaluk, J. T., 987
Kamble, S. T., 134
Kandemir, G., 2087
Kandemir, I., 2087
Karren, J. B., 1967
Kaspi, R., 1168
Kassymzhanova-Mirik, S., 1682
Kaufmann, C., 2065
Kavallieratos, N. G., 229, 1520, 1899
Keller, M. A., 828
Kemp, W. P., 408, 626
Kence, A., 2087
Kence, M., 2087
Kennedy, G. G., 2091
Khajuria, C., 1854
Kikkert, J. R., 1310
Kim, K. S., 685
Kim, L.-S., 1717
Kim, Y.-J., 954
Kimberley, M. O., 780
Kittelson, N. T., 771
Klaahsen, D. L., 1430
Klein, M. G., 288
Kline, D. L., 182
Knutson, A. E., 67
Konstantopoulou, M. A., 1657
Krawczyk, G., 349, 1176, 1299
Krischik, V. A., 102
Kriticos, D. J., 780
Kubota, S., 1363
Kuhar, T. P., 1235
Kukan, B., 14
Kumar, R., 2210
Kumbasli, M., 2038
Kuo, M.-H., 1209
Kuo, Y.-H., 1209

L

Lacerda, M. C., 401
LaChaize, J., 253
Lambkin, T. A., 908
Lange, C. L., 155, 2142
Lapointe, S. L., 109
Larentzaki, E., 1798
Larsen, T. E., 1280
Laub, C. A., 1235
Lawrence, N., 155
Ledebuhr, R., 1705
Lee, C.-Y., 129
Lee, J. E., 733
Lee, Y.-S., 1717
Leesch, J., 251, 2219
Lefebvre, D., 1571
Legg, D. E., 1500, 2210
Lei, C.-L., 455
Lemos, W. P., 401
Leonard, B. R., 194, 966
Leser, J. F., 568
Lessio, F., 578
Lewis, E. E., 54
Lewis, L. C., 1987
Li, A., 914
Li, C., 914
Li, Y.-X., 176
Liburd, O. E., 1291
Liebhold, A., 599
Linker, H. M., 641
Liu, H., 1096
Liu, S. Q., 858
Liu, Y., 308, 664
Liu, Y.-B., 972
Lloyd, J. E., 2210
Loday, P., 1651
Lohmeyer, K. H., 1943
Loke, P.-Y., 129
Long, D. F., 1691
Lou, S., 664
Louis, J., 1854
Lowery, D. T., 1369
Loyer, M., 834
Lu, W.-N., 1209
Lubbe, A., 7
Luchetti, A., 1268
Luck, R. F., 1051
Luttrell, R. G., 164

M

Macedo, T., 222
Machado Botelho, P. S., 2010
Malacrida, A. R., 1420
Malakar-Kuenen, R., 1280
Maldonado, M. H., 1605
Malo, E. A., 797, 1994
Mangan, F. X., 803
Manhardt, N. M., 1525
Mankin, R. W., 244
Mannion, C. M., 288, 811
Mansfield, S., 780
Mantovani, B., 1268
Marco, V., 427
Markwick, N., 508
Martel, A.-C., 253
Martin, T., 450
Martin, T. J., 544
Martinelli, S., 519
Martínez-Ferrer, M. T., 993, 1490
Masetti, A., 1268
Masuta, T., 123
Matsunaga, T., 1363
Mattila, H. R., 604
Mau, R.F.L., 176, 1161
Maxwell, E. M., 1334
Mazomenos, B. E., 1657
McAuslane, H. J., 1446, 2156
McCreight, J. D., 972
McDonald, R., 1184
McGovern, J. E., 601
McKenzie, C. L., 109
McLaughlin, J. R., 1334

McMillin, J. D., 393
McPheron, B., 834
McPherson, R. M., 764
Meagher, R. L., 671
Medeiros, A. H., 1483
Medina, P., 359
Meinke, L. J., 483, 722, 927
Meng, J., 1854
Meredith, W. R., 1835
Meza-Hernández, J. S., 1979
Michaud, J. P., 544, 1214
Michels, G. J., Jr., 1682
Migliardi, M., 757
Millar, J. G., 1280
Miller, D. L., 85, 383
Miller, D. M., 2080
Miller, G. T., 2072
Miller, J. A., 1943
Miller, J. R., 1327, 1705
Miller, N. J., 685
Miller, N. W., 1161
Milonas, P., 1657
Miresmailli, S., 2015
Mirhoseini, S. Z., 1820
Mirik, M., 1682
Miyanoshita, A., 1912
Mo, J., 421, 1321
Mohandass, S. M., 1007, 1509
Moharramipour, S., 1820
Molina-Ochoa, J., 722
Montgomery, M. E., 1258
Moore, D. J., 2080
Morimoto, K., 678
Morin, S., 1525, 2125
Mornhinweg, D. W., 2151
Mossinson, S., 1420
Mound, L. A., 1813
Moura, M. F., 2177
Moyseenko, J. J., 288
Muerrle, T. M., 1
Mullen, G. R., 621
Mulrooney, J. E., 469, 886
Munro, S., 421, 1321
Munson, A. S., 1691
Munyaneza, J. E., 268
Murray, L., 313
Musser, F. R., 1538, 1798
Myers, C. T., 349, 1176, 1299

N

Nachappa, P., 1583, 1711
Nagata, R. T., 1446, 2156
Nagoshi, R. N., 671
Nansen, C., 599, 1194
Narayandas, G. K., 1203
Naresh, J. S., 1452
Nault, B. A., 1375, 1798
Nechols, J. R., 1017, 1080, 2202
Neufeld, J., 23
Neumann, P., 1
Neven, L. G., 658, 1610, 1620
Ni, X., 551
Niide, T., 48
Norman, J. W., Jr., 67
Nowatzki, T., 483
Nowatzki, T. M., 927
Nuessly, G. S., 671, 2156
Nyboer, M. E., 946, 1525, 1925
Nyrop, J. P., 76, 1375, 1538

O

Obenland, D., 1610
O'Donovan, J. T., 1665
Odvody, G. N., 2164
Oi, D. H., 1739
Oi, F. M., 1739
Oliver, J. B., 288
Olsen, K. D., 733
Omoto, C., 519, 2110
O'Neil, R. J., 60
O'Neill, S. L., 2142
Onstad, D. W., 899, 1407, 2100
Oppert, B., 937
Orduz, S., 1590
Orr, D. B., 641, 1104
Osakabe, M., 678
Oshiro, R. J., 1354
Osorio, P., 1245
Otis, G. W., 604
Otvos, I. S., 14
Owen, W. K., 2210

P

Palyvos, N. E., 229
Pampapathy, G., 1452
Parajulee, M. N., 67, 568
Park, C.-G., 1733
Park, H.-M., 954, 1733
Park, I.-K., 1717
Park, Y.-L., 1936
Parker, R. D., 2164
Parrella, M. P., 1168
Patrock, R.J.W., 295
Payton, M. E., 1002
Peairs, F. B., 1862, 2151
Pearson, T. C., 583
Pelz-Stelinski, K. S., 1316
Pendleton, B. B., 48
Pérez-Moreno, I., 427
Pérez-Panadés, J., 1273
Pérez-Staples, D., 1184
Perring, T. M., 1936
Peters, B. C., 1749
Petrice, T. R., 85, 383, 790
Phillips, P. A., 2072
Picanço, M. C., 2177
Pierre, J., 1571
Piñero, J. C., 1161
Plate, J., 1798
Poland, T. M., 85, 383
Polavarapu, S., 1474
Popay, A. J., 1462
Poppy, G. M., 1194
Porter, D. R., 959, 1862
Porter, P., 502
Posey, F. R., 966
Potter, D. A., 1129
Potter, K.J.B., 780
Pourmirza, A. A., 1920
Powell, K. S., 1774
Prabhaker, N., 141, 1805
Prater, C. A., 1129
Priesnitz, K. U., 1768
Puterka, G. J., 1862, 2151

Q

Quesada-Moraga, E., 1955
Quisenberry, S. S., 551
Qureshi, J. A., 544, 1214

R

Ragenovich, I., 14
Rangasamy, M., 1446
Ranger, C. M., 537, 1474
Ratcliffe, S. T., 685
Raulston, J. R., 752
Raymer, P. L., 1699
Razmjou, J., 1820
Reagan, T. E., 966, 1867
Reardon, B. J., 1641, 2002
Reardon, R., 14
Reay-Jones, F.P.F., 966, 1867, 2030
Redak, R. A., 1051
Reding, M. E., 288
Redmond, C. T., 1129
Reed, T. P., 1327
Reese, J. C., 1884
Reffo, G., 757
Rehfield-Ray, L. M., 658, 1610, 1620
Remmers, J., 2164
Ren, Y., 308
Renkema, J. M., 76
Rhodes, E. M., 1291
Rice, R. E., 2072
Rice, S. J., 908
Richter, S. J., 1002
Ridland, P. M., 2171
Rinehart, T. A., 2136
Ripollés, J. L., 993
Ripollés-Moles, J. L., 1490
Ritthison, W., 1531
Roark, J. J., 502
Robacker, D., 1675
Robson, J. D., 2185
Rodríguez-Padilla, C., 937
Roe, R. M., 38
Rogers, P. M., 2171
Rojas, J. C., 797
Romig, M. C., 1651
Rosas-Burgos, E. C., 2146
Rossiter, L., 155

Royer, T. A., 1002
Rugman-Jones, P. F., 1813
Ruiz-García, A., 1955
Russell, R. C., 2132
Rust, M. K., 864
Rutledge, C. E., 60

S

Saeglitz, C., 1768
Sáenz-de-Cabezón, F. J., 427
Saitanis, C. J., 2191
Salassi, M. E., 966
Salgado, E., 1675
Salom, S. M., 1500
Sandanayake, M., 508
Santiago-Álvarez, C., 1955
Santiesteban, A., 1994
Sappington, T. W., 67, 1641, 2002
Saran, R. K., 864
Sarath, G., 212, 222
Savopoulou-Soultani, M., 1890
Schaafsma, A. W., 76
Schaffer, B., 811
Schapaugh, W. T., 1884
Scharf, M. E., 1761
Schellhorn, N. A., 263, 2171
Scherm, H., 2065
Schuler, M. A., 1046
Schuphan, I., 1768
Schwinghammer, M. A., 462
Scott, K. D., 155
Scott, L. J., 155
Sears, M. K., 76
Sedgley, M., 828
Semeão, A. A., 2177
Serrão, J. E., 401
Sethi, A., 2156
Sharma, H. C., 1452
Shea, P. J., 1691
Shelton, A. M., 117, 176, 1310, 1538, 1798
Shelton, T. G., 886
Shen, T.-C., 714
Shi, G. L., 858
Shin, S.-C., 1717
Shipp, J. L., 414
Shono, Y., 1363
Showler, A. T., 1152, 1251, 1675
Shrefler, J. W., 559
Shrestha, R. B., 568
Siegfried, B. D., 483, 494, 927, 1579
Silva-Filho, M. d. C., 519
Silverman, J., 1757
Sim, M.-J., 593
Singh, R., 1452
Sirithorn, P., 1531
Skuhrovec, J., 2216
Smirle, M. J., 1369
Smith, C. M., 1430, 1854
Smith, S. L., 1691
Smith, T. P., 2024
Sollome, J., 946, 1525
Song, M. Y., 745
Sorenson, C. E., 1757
Spencer, T. A., 494
Spivak, M., 614
Spomer, N. A., 134
Spooner-Hart, R. N., 437
Spurgeon, D. W., 323, 752
Starkey, S. R., 1430, 1854
Staten, R. T., 946
Stelinski, L. L., 1327, 1705, 2048
Stevenson, F. C., 1665
Stewart, J. R., 733
Stewart-Leslie, J., 2072
Stock, S. P., 920
Stodola, T. J., 502
Storer, N. P., 1381
Stout, M. J., 2030
Stouthamer, R., 1813
Straub, R. W., 1375
Su, J., 1636
Suckling, D. M., 1550
Suh, C. P.-C., 323
Sumerford, D. V., 1641, 2002
Sun, J. H., 858
Surampalli, R. Y., 1065
Sutcliffe, J. F., 1025
Sylvester, H. A., 1565

T

Tabashnik, B. E., 494, 920, 946, 1396, 1525, 1925, 2125
Takeuchi, H., 366
Tamez-Guerra, P., 937
Tanaka, H., 123
Tapper, B. A., 1462
Tarpley, L., 2030
Tate, C. D., 1987
Tavella, L., 757
Taylor, A. G., 117
Taylor, D. B., 1415
Tenczar, E. G., 102
Thara, V. K., 1430
Thompson, D. C., 313
Thompson, G. D., 176
Thompson, S. R., 1948
Throne, J. E., 1007, 1509
Tillman, P. G., 648
Timm, A. E., 341
Tingey, W. M., 1483
Tobin, P., 599
Todoriki, S., 1912
Toews, M. D., 583
Toledo, J., 1994
Toscano, N. C., 141, 1805
Tovar, J. C., 797
Trently, D., 1462
Trostle, G. E., 408
Tsakiri, J. B., 1520
Tseng, C.-M., 714
Tsunoda, K., 1363
Tuttle, A., 1161
Tyagi, R. D., 1065

U

Unnithan, G. C., 1925
Upton, J. E., 268
Upton, W. W., 94

V

Vaccino, P., 757
Valéro, J. R., 1065
Vandermeer, R. K., 182
Vandervoort, C., 2055
Van Duyn, J., 2091
Van Duyn, J. W., 1790
Vandygriff, J. C., 373
van Frankenhuyzen, K., 2038
Vardeman, E. A., 1017
Vargas, R. I., 1161
Vásquez, G. M., 1104
Vaughn, T. T., 722, 927
Vayias, B. J., 1520, 1899
Velez, J. G., 1590
Vendramim, J. D., 2010
Verma, M., 1065
Vernon, R. S., 987
Vilarinho, E. C., 2110
Villanueva, R. T., 843
Viñuela, E., 359
Virgen, A., 1994
Voothuluru, P., 1854
Vorsa, N., 1474

W

Wagner, T. L., 469, 886
Wakarchuk, D., 373
Waldvogel, M. G., 1757
Walgenbach, J. F., 843
Walsh, D. B., 771
Walton, V. M., 1280
Wang, C., 879, 1761
Wang, K., 414
Wang, P., 1310
Wang, X., 308, 664
Wang, Y., 308, 1628
Warnich, L., 341
Watanabe, T., 366
Watson, M. C., 780
Way, M. O., 1867, 2030
Wearing, C. H., 1550
Weber, D., 1203
Wen, Z., 1046
Whalon, M. E., 2055
White, W. H., 966
Whitworth, R. J., 1085
Wilde, G. E., 1085, 1854
Williams, D. G., 2048
Williamson, R. C., 850
Wise, J. C., 2055
Withers, T. M., 780

Witzgall, P., 1245
Wood, G. M., 263
Woodrow, R. J., 1354
Worner, S. P., 979
Wright, M. G., 822, 2185
Wright, R. J., 483
Wu, K., 893
Wu, Q.-J., 117, 1310
Wu, S., 914, 1784
Wu, Y., 914, 1628, 1784

X

Xu, L., 1628
Xue, D., 455
Xyrafidis, S. N., 1520

Y

Yacoub, R., 1936
Yafuso, C. M., 1525
Yang, T.-C., 691
Yang, Y., 914, 1784
Yano, S., 678
Yee, W. L., 1722
Yi, C.-G., 1733
Yokoyama, V. Y., 2072
Young, III, S. Y., 164
Youngman, R. R., 1235
Yu, H., 1112
Yuan, P., 664
Yue, L., 1784
Yuval, B., 1420

Z

Zalom, F. G., 427
Zanuncio, J. C., 401
Zanuncio, T. V., 401
Zapata, N., 359
Zhan, G., 1628
Zhang, Z., 1636
Zhao, J.-Z., 117, 176, 1375, 1798
Zhao, L. L., 858
Zhou, X., 927
Zhu, K. Y., 1007, 1509
Zhu, L., 1854
Zhu, S., 1636
Zoccatelli, G., 757
Zolnerowich, G., 1085
Zucchi, M. I., 519

CUMULATIVE KEY WORD INDEX
Journal of Economic Entomology
Volume 99, 2006

A

aboveground use,
  Australia, 1749
  borate, 1749
  Coptotermes acinaciformis, 1749
  subterranean termites, 1749
Acari,
  acaricide, 843
  spider mites, 843
  SpinTor, 843
acaricidal activity, 858, 2015
  EcoTrol, 2015
  Kochia scoparia, 858
  Phytoseiulus persimilis, 2015
  rosemary oil, 2015
  Tetranychus cinnabarinus, 858
  Tetranychus urticae, 858, 2015
  Tetranychus viennensis, 858
acaricide,
  Acari, 843
  spider mites, 843
  SpinTor, 843
acaricide toxicity,
  etoxazole, 54
  Orius insidiosus, 54
  propargite fenpropathrin, 54
  Tetranychus urticae, 54
accelerometer,
  acoustics, 244
  geophone, 244
  soil insects, 244
  stridulation, 244
acephate, 393, 764
  bifenthrin, 393
  carbaryl, 393
  dinotefuran, 393
  Frankliniella fusca, 764
  imidacloprid, 764
  permethrin, 393
  pest management, 764
  tospovirus, 764
acoustic emissions,
  drywood termite, 1354
  resmethrin, 1354
  sodium borate, 1354
  spinosad, 1354
acoustics,
  accelerometer, 244
  geophone, 244
  soil insects, 244
  stridulation, 244
Acramite,
  Neoseiulus californicus, 1291
  Phytoseiulus persimilis, 1291
  strawberry, 1291
  twospotted spider mite, 1291
acrolein,
  fumigation, 1920
  insect, 1920
  toxicity, 1920
  wheat, 1920
active contact,
  digging behavior, 634
  passive contact, 634
  red imported fire ant, 634
  worker mortality, 634
acute activity,
  fungal extract, 1657
  microbial pesticides, 1657
  Mucorales, 1657
adaptation,
  crop rotation, 685
  microsatellite, 685
  population genetics, 685
  western corn rootworm, 685
Adelges tsugae, 1258, 1500
  individual trees, 1500
  insecticide, 1258
  sequential sampling, 1500
  systemic, 1258
  Tsuga canadensis, 1500
adjuvants,
  Bacillus thuringiensis, 1065
  formulations, 1065
  sludge, 1065
  wastewater, 1065
Aedes aegypti,
  Bacillus thuringiensis serovar *israelensis*, 1590
  biological control, 1590
  tablet formulation, 1590
Aedes taeniorhynchus,
  Artemia, 745
  flow-through system, 745
  fluctuating salinity, 745
  insecticide tolerance, 745
Aethina tumida,
  Apis mellifera, 1
  biological control, 1
  entomopathogenic fungi, 1
AFLP,
  Cydia pomonella, 341
  gene flow, 341
Agrilus planipennis, 790, 1096
  bioassay, 1096
  Buprestidae, 790
  cultural control, 790
  emerald ash borer, 790
  entomopathogenic fungi, 1096
  invasive nonnative pest, 790
  microbial control, 1096
  susceptibility, 1096
Agromyzidae,
  lettuce, 1268
  Liriomyza huidobrensis, 1268
  molecular diagnosis, 1268
  PCR-RFLP, 1268
Agrotis ipsilon, 850, 1129
  baculovirus, 1129
  black cutworm, 1129
  Kentucky bluegrass, 850
  microbial control, 1129
  plant resistance, 850
  turfgrass, 1129
airflow,
  biting insects, 182
  disease vectors, 182
  exclusion, 182
  passenger bridge, 182
alarm,
  behavior, 462
  disturbance, 462
  Isoptera, 462
  Reticulitermes flavipes, 462
alarm pheromone,
  (*E*)-β-farnesene, 1636
  Aphis gossypii, 1636
  development, 1636
  fecundity fitness, 1636
alfalfa,
  Empoasca fabae, 537
  glandular trichomes, 537
  Medicago sativa, 537
  potato leafhopper, 537
alfalfa weevil, 1235, 2216
  chaetotaxy, 2216
  dry matter yield, 1235
  forage quality, 1235
  glandular-haired alfalfa, 1235
  Hyperini, 2216
  larva, 2216
  morphology, 2216
  potato leafhopper, 1235
alkaloid,
  armyworm, 1462
  fescue, 1462
  insect resistance, 1462
  ryegrass, 1462
Allium cepa,
  insecticide resistance, 1798
  onion thrips, 1798
Alsynite,
  Coroplast, 1025
  Muscidae, 1025

stable flies, 1025
sticky traps, 1025
alternate hosts,
European corn borer, 1987
feeding preference, 1987
Amegilla, 437, 828
bluebanded bee, 437
Bombus, 828
buzz-pollination, 828
greenhouse, 828
Lycopersicon, 437
pollination, 437
tomato, 437, 828
amensalism,
Amphitetranychus, 678
fruit tree, 678
Panonychus, 678
Tetranychus, 678
ammonium acetate,
cherry fruit fly, 1316
fruit flies, 1316
protein bait, 1316
reduced-risk insecticide, 1316
Amphitetranychus,
amensalism, 678
fruit tree, 678
Panonychus, 678
Tetranychus, 678
amylase inhibitors,
R. dominica isoamylases, 2146
wheat resistance, 2146
Anastrepha,
Diptera, 1979
quality control, 1979
sexual compatibility, 1979
Tephritidae, 1979
Anastrepha ludens, 1184, 1994
attractants, 1994
Casimiroa edulis, 1994
Citrus paradisi, 1184
gas chromatography-electroantennographic detection, 1994
gibberellic acid, 1184
pest management, 1184
trap crops, 1184
volatiles, 1994
annual honey production,
nutritional stress, 604
pollen substitute, 604
population growth, 604
spring management, 604
Anoplophora glabripennis, 85, 308, 383, 664
azadirachtin, 85, 383
Cerambycidae, 85
cyanogen, 308
emamectin benzoate, 383
ethanedinitrile, 308
fumigant, 308
fumigation, 664
imidacloprid, 85, 383
insecticides, 85
methyl bromide, 664
Plectrodera scalator, 85
quarantine, 664
regulated wood packing materials, 664
thiacloprid, 383
toxicity, 308
antagonism,
Btk toxin, 2038
spruce budworm, 2038
tannins, 2038
transgenic white spruce, 2038
Anthonomus grandis, 67, 1675
boll weevil, 1675
boll weevil eradication, 67
cotton gin, 67
cotton module, 67
dispersal, 67
grandlure, 1675
pheromone, 1675
trapping, 1675
Anthonomus grandis grandis, 323, 752, 1152, 1251
boll, 1251
boll weevil, 323, 752
carpel damage, 1251
cotton, 1251
dispersal, 1152
food, 1152
habitats, 1152
insecticide, 1251
overwinter, 1152
pheromone, 323
pheromone trapping, 752
trapping, 323
antibiosis, 1854, 1884
antixenosis, 1884
Aphis glycines, 1884
Diuraphis noxia, 1854
Glycine max, 1884
insect resistance categories, 1854
proportional plant dry weight loss, 1854
tolerance index, 1854
antixenosis,
antibiosis, 1884
Aphis glycines, 1884
Glycine max, 1884
aphid,
Banana bunchy top virus, 2185
circulative virus, 2185
vector, 2185
aphid biomass,
chlorosis, 551
plant biomass, 551
Aphidius colemani,
Aphis gossypii, 1104
augmentation biological control, 1104
Dendranthema grandiflora, 1104
inoculative releases, 1104
Aphis glycines,
antibiosis, 1884
antixenosis, 1884
Glycine max, 1884
Aphis gossypii, 1104, 1636, 1820
(*E*)-β-farnesene, 1636
alarm pheromone, 1636
Aphidius colemani, 1104
augmentation biological control, 1104
cotton aphid, 1820
cotton cultivar, 1820
Dendranthema grandiflora, 1104
development, 1636
fecundity fitness, 1636
inoculative releases, 1104
life table, 1820
plant resistance, 1820
Aphis pomi,
Aphis spiraecola, 1369
insecticides, 1369
susceptibility, 1369
toxicity, 1369
Aphis spiraecola, 1273, 1369
Aphis pomi, 1369
Citrus clementina, 1273
economic injury level, 1273
economic threshold, 1273
insecticides, 1369
susceptibility, 1369
toxicity, 1369
Apis mellifera, 1, 408, 1565, 1579
Aethina tumida, 1
bioassay, 1579
biological control, 1
cherry pollination, 408
entomopathogenic fungi, 1
foraging behavior, 1565
LD_{50}, 1579
Osmia lignaria, 408
oxalic acid, 1579
pollination, 1565
Prunus avium, 408
Prunus dulcis, 1565
Varroa destructor, 1579
Apis mellifera capensis,
beekeeping industry, 7
honey bee, 7
parasite, 7
recommendations, 7
Apistan,
carboxylesterase, 1046
cytochrome P450 monooxygenase, 1046
glutathione *S*-transferase, 1046
Varroa destructor, 1046

apple, 349, 1176, 1299, 1620, 2055
CATTS, 1620
codling moth, 1620
Conotrachelus nenuphar, 2055
larval feeding behavior, 349
oriental fruit moth, 349, 1176, 1299, 1620
oviposition behavior, 1176
oviposition preference, 349
peach, 1176, 1299
plant–insect–chemistry triad, 2055
population dynamics, 349, 1176, 1299
quarantine, 1620
residue profile, 2055
sublethal effects, 2055
survival, 1299
Argentina,
biological control, 295
biotype, 295
body size, 295
parasitoid, 295
Argentine ant,
insecticide, 1757
management, 1757
repellent, 1757
trap-mulch, 1757
armyworm,
alkaloid, 1462
fescue, 1462
insect resistance, 1462
ryegrass, 1462
Artemia,
Aedes taeniorhynchus, 745
flow-through system, 745
fluctuating salinity, 745
insecticide tolerance, 745
artificial diet,
feeding trial, 714
Liquidambar formosana, 714
Lymantria xylina, 714
artificial neural networks,
backpropagation, 979
biosecurity, 979
Ceratitis capitata, 979
Lymantria dispar, 979
Ascosphaera aggregata,
color contrast, 626
Megachile rotundata, 626
nest location, 626
three-dimensional, 626
Asopinae,
biological control, 401
Heteroptera, 401
life tables, 401
predator, 401
Atherigona soccata,
cytoplasmic male sterility, 1452
mechanisms of resistance, 1452
atmospheric pressure plasma,
dielectric barrier discharge, 38
insect control, 38
quarantine, 38
attract-and-kill,
cabbage looper, 1334
diamondback moth, 1334
imported cabbageworm, 1334
attractants,
Anastrepha ludens, 1994
Casimiroa edulis, 1994
gas chromatography-electroantennographic detection, 1994
volatiles, 1994
attraction,
behavior, 1651
field control, 1651
traps, 1651
visual response, 1651
augmentation,
Habrobracon, 1080
packaging, 1080
Trichogramma, 1080
augmentation biological control,
Aphidius colemani, 1104
Aphis gossypii, 1104
Dendranthema grandiflora, 1104
inoculative releases, 1104
Australia,
aboveground use, 1749
borate, 1749
Coptotermes acinaciformis, 1749
subterranean termites, 1749
avidin,
Bt-Cry3A, 527
host plant resistance, 527
leptine, 527
S. chacoense, 527
avoidance,
genetic correlation, 1388
heritability, 1388
Plutella xylostella, 1388
pyrethroids, 1388
azadirachtin, 85, 383
Anoplophora glabripennis, 85, 383
Cerambycidae, 85
emamectin benzoate, 383
imidacloprid, 85, 383
insecticides, 85
Plectrodera scalator, 85
thiacloprid, 383
azaleas,
biological control, 2136
fluorescence, 2136
molecular detection, 2136
Stephanitis pyrioides, 2136

B

Bacillus thuringiensis, 1065, 1085, 1381, 1525, 1538, 1790, 1835, 1835, 1925, 2091, 2125
adjuvants, 1065
Bacillus thuringiensis, 1835, 1835
biological control, 1538
bollworm, 1790
corn rootworm, 1085
Cry34/Cry35Ab1, 1381
Cry3Bb1, 1085
Diabrotica virgifera virgifera, 1381
fitness costs, 1925
formulations, 1065
genetically modified crops, 1925, 2125
genetics, 2125
insect predators, 1085
insecticidal traits, 1381
insecticides, 1538
IPM, 1538
model, 1538
molecular screening, 1525
multiple toxins, 2091
Pectinophora gossypiella, 1925, 2125
Plant-Incorporated-Protectant, 1835, 1835
resistance, 1925, 2125
resistance management, 1381, 1525, 1790
resistance monitoring, 1790
sludge, 1065
transgenic corn, 1085
transgenic cotton, 1835, 1835
transgenic crops, 1525
transgenic plants, 2091
two-locus, 2091
wastewater, 1065
Bacillus thuringiensis crops,
cadherin, 946
molecular monitoring, 946
Pectinophora gossypiella, 946
resistance detection, 946
Bacillus thuringiensis serovar *israelensis*,
Aedes aegypti, 1590
biological control, 1590
tablet formulation, 1590
backpropagation,
artificial neural networks, 979
biosecurity, 979
Ceratitis capitata, 979
Lymantria dispar, 979
Bactrocera cucurbitae,
Bactrocera dorsalis, 1161
bait spray, 1161
spinosad, 1161

Bactrocera dorsalis,
Bactrocera cucurbitae, 1161
bait spray, 1161
spinosad, 1161
Bactrocera oleae,
California, 2072
Olea europaea, 2072
baculovirus,
Agrotis ipsilon, 1129
black cutworm, 1129
microbial control, 1129
turfgrass, 1129
bait, 621, 1739
chemical control, 1739
delayed toxicity, 1739
fire ants, 621
insect growth regulator, 621
methoprene, 621
red imported fire ant, 1739
Solenopsis invicta, 621, 1739
bait spray,
Bactrocera cucurbitae, 1161
Bactrocera dorsalis, 1161
spinosad, 1161
bait toxicant,
benzoylphenylurea, 1363
bistrifluron, 1363
Coptotermes formosanus, 1363
Banana bunchy top virus,
aphid, 2185
circulative virus, 2185
vector, 2185
bark beetle management,
funnel traps, 373
pheromones, 373
semiochemicals, 373
barley,
diatomaceous earth, 1905
Ephestia kuehniella, 1905
rye, 1905
wheat, 1905
baseline susceptibility,
Bt corn, 1768
European corn borer, 1768
Ostrinia nubilalis, 1768
Beauveria bassiana, 1120, 1943, 1948
diatomaceous earth, 1948
direct spray contact, 1120
horn fly, 1943
imidacloprid, 1948
Metarhizium anisopliae, 1943
Paecilomyces fumosoroseus, 1943
residual activity, 1120
Scapteriscus borellii, 1948
synergy, 1948
Trichoplusia ni, 1120
bed bugs,
black plastic, 2132
Cimex, 2132
control, 2132
mattress, 2132
beekeeping industry,
Apis mellifera capensis, 7
honey bee, 7
parasite, 7
recommendations, 7
beet armyworm,
cabbage looper, 2156
development, 2156
fecundity, 2156
host plant resistance, 2156
behavior, 462, 927, 1651
alarm, 462
attraction, 1651
Cry3Bb1, 927
disturbance, 462
field control, 1651
Isoptera, 462
Reticulitermes flavipes, 462
survival, 927
transgenics, 927
traps, 1651
visual response, 1651
western corn rootworm, 927
Bemisia argentifolii,
life table, 691
temperature, 691
Bemisia tabaci, 331, 1143, 1396
feeding preference, 1143
haplodiploid, 1396
Macrolophus caliginosus, 1143
modeling, 1396
pyriproxyfen, 1396
resistance management, 1396
sampling, 331
tomato, 331
Trialeurodes vaporariorum, 331, 1143
within-plant distribution, 331
beneficial insect habitat,
biological control, 641
organic pest management, 641
organic tomato production, 641
benzoylphenylurea,
bait toxicant, 1363
bistrifluron, 1363
Coptotermes formosanus, 1363
bifenthrin, 393, 1691
acephate, 393
carbaryl, 393, 1691
Dendroctonus, 1691
dinotefuran, 393
permethrin, 393
Picea, 1691
Pinus, 1691
binomial distribution,
binomial sampling, 1490
enumerative sampling, 1490
Taylor's power law, 1490
Tetranychus urticae, 1490
binomial sampling, 993, 1490
binomial distribution, 1490
enumerative sampling, 993, 1490
Planococcus citri, 993
Taylor's power law, 993, 1490
Tetranychus urticae, 1490
bioassay, 972, 1096, 1579, 1826
Agrilus planipennis, 1096
Apis mellifera, 1579
breeding, 972
cultivar, 972
entomopathogenic fungi, 1096
hard red spring wheat, 1826
Indianmeal moth, 1826
LD_{50}, 1579
microbial control, 1096
oxalic acid, 1579
plant resistance, 972
resistance screen, 972
Rhyzopertha dominica, 1826
sequential feeding, 1826
susceptibility, 1096
Varroa destructor, 1579
biocontrol,
fourlined plant bug, 432
jumping spider, 432
plant performance, 432
biological control, 1, 23, 237, 273, 295, 401, 414, 641, 920, 1168, 1538, 1583, 1590, 1955, 2136, 2202
Aedes aegypti, 1590
Aethina tumida, 1
Apis mellifera, 1
Argentina, 295
Asopinae, 401
azaleas, 2136
Bacillus thuringiensis, 1538
Bacillus thuringiensis serovar *israelensis*, 1590
beneficial insect habitat, 641
biotype, 295
body size, 295
Dicyphus hesperus, 414
Diglyphus isaea, 1168
entomopathogenic fungi, 1
fecundity, 1955
fertility, 1955
fitness cost, 920
fluorescence, 2136
Frankliniella occidentalis, 414
greenhouse tomatoes, 414
habitat complexity, 2202
Heteroptera, 401
insecticides, 1538
integrated pest management, 1168
IPM, 1538
kaolin, 23
life tables, 237, 401
Listronotus bonariensis, 273

Megacephala carolina carolina, 1583
Microctonus hyperodae, 273
model, 1538
molecular detection, 2136
Neotyphodium endophyte, 273
organic pest management, 641
organic tomato production, 641
Pandora neoaphidis, 23
parasitoid, 295
particle films, 23
pea aphid, 23
Pectinophora gossypiella, 920
population dynamics, 273
predator, 401
Prosapia bicincta, 1583
reproductive effects, 1955
resistance management, 920
Spodoptera frugiperda, 1583
Steinernema riobrave, 920
Stephanitis pyrioides, 2136
sterile insect technique, 1168
stored products, 237, 2202
sublethal effects, 1955
synergistic interaction, 1168
tablet formulation, 1590
turfgrass, 1583
Venturia canescens, 237
biological molecules,
body water, 873
Reticulitermes, 873
uric acid, 873
vigor, 873
biorational insecticides,
Chrysomela scripta, 102
coccinellids, 102
imidacloprid, 102
novel stick soak, 102
biosecurity,
artificial neural networks, 979
backpropagation, 979
Ceratitis capitata, 979
Lymantria dispar, 979
biotechnology derived trait,
transgenic maize, 722
western corn rootworm, 722
biotype, 295, 959, 1862
Argentina, 295
biological control, 295
body size, 295
Diuraphis noxia, 1862
parasitoid, 295
plant resistance, 959, 1862
Schizaphis graminum, 959
Sorghum bicolor, 959
Triticum aestivum, 959, 1862
biotype 2,
development, 544
Diuraphis noxia, 544
reproduction, 544
Triticum aestivum, 544
bistrifluron,
bait toxicant, 1363
benzoylphenylurea, 1363
Coptotermes formosanus, 1363
biting insects,
airflow, 182
disease vectors, 182
exclusion, 182
passenger bridge, 182
black cutworm,
Agrotis ipsilon, 1129
baculovirus, 1129
microbial control, 1129
turfgrass, 1129
black plastic,
bed bugs, 2132
Cimex, 2132
control, 2132
mattress, 2132
Blattella germanica, 879, 1761
food aversion, 1761
gel bait, 1761
inheritance, 1761
insecticide resistance, 1761
integrated pest management, 879
public housing, 879
Blissus, 203, 212
chinch bug, 203, 212
plant resistance, 203, 212
sorghum, 203, 212
turfgrass, 203, 212
Blissus occiduus,
buffalograss, 222
carbon exchange rates, 222
fluorescence kinetics, 222
nonstructural carbohydrates, 222
BLTVA phytoplasma,
Circulifer tenellus, 268
insect vector, 268
potato purple top disease, 268
bluebanded bee,
Amegilla, 437
Lycopersicon, 437
pollination, 437
tomato, 437
blueberry,
host suitability, 1474
Illinoia pepperi, 1474
Vaccinium, 1474
body size,
Argentina, 295
biological control, 295
biotype, 295
parasitoid, 295
body water,
biological molecules, 873
Reticulitermes, 873
uric acid, 873
vigor, 873
boll,
Anthonomus grandis grandis, 1251
carpel damage, 1251
cotton, 1251
insecticide, 1251
boll weevil, 323, 752, 1675
Anthonomus grandis, 1675
Anthonomus grandis grandis, 323, 752
grandlure, 1675
pheromone, 323, 1675
pheromone trapping, 752
trapping, 323, 1675
boll weevil eradication,
Anthonomus grandis, 67
cotton gin, 67
cotton module, 67
dispersal, 67
bollworm,
Bacillus thuringiensis, 1790
resistance management, 1790
resistance monitoring, 1790
Bombus,
Amegilla, 828
buzz-pollination, 828
greenhouse, 828
tomato, 828
Bombus impatiens,
bumble bee, 443
lowbush blueberry production, 443
pollination, 443
Vaccinium angustifolium, 443
Bombus terrestris,
greenhouse, 1571
ideal free distribution theory, 1571
Lycopersicum esculentum, 1571
pollen foraging, 1571
borate,
aboveground use, 1749
Australia, 1749
Coptotermes acinaciformis, 1749
subterranean termites, 1749
botanical insecticides,
Ceratitis capitata, 359
Cestrum parqui, 359
Brassica rapa,
crop protection, 803
Phyllotreta cruciferae, 803
Phyllotreta striolata, 803
sampling, 803
Brassicaceae,
Contarinia nasturtii, 1310
cruciferous vegetables, 1310
molecular identification, 1310
pheromone trap, 1310
bread-making quality,
high-performance liquid chromatography, 757

sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 757
sunn pest, 757
Triticum aestivum, 757
breeding,
bioassay, 972
cultivar, 972
plant resistance, 972
resistance screen, 972
broccoli,
diamondback moth, 2171
fixed sample size, 2171
precision, 2171
sampling, 2171
Broce trap,
Nzi trap, 1415
Olson trap, 1415
stable fly, 1415
traps, 1415
broiler house,
insecticide resistance testing, 908
lesser mealworm, 908
pyrethroid, 908
Bt, 508, 1641
dispersal, 1641
Epiphyas postvittana, 508
European corn borer, 1641
feeding, 508
movement, 508
toxins, 508
transgenic corn, 1641
Bt corn,
baseline susceptibility, 1768
European corn borer, 1768
Ostrinia nubilalis, 1768
Bt-Cry3A,
avidin, 527
host plant resistance, 527
leptine, 527
S. chacoense, 527
Btk,
Eucalyptus, 780
Mimic, 780
spinosad, 780
Uraba lugens, 780
Btk toxin,
antagonism, 2038
spruce budworm, 2038
tannins, 2038
transgenic white spruce, 2038
buffalograss,
Blissus occiduus, 222
carbon exchange rates, 222
fluorescence kinetics, 222
nonstructural carbohydrates, 222
bumble bee, 443, 614
Bombus impatiens, 443
cranberries, 614
honey bees, 614
lowbush blueberry production, 443
pollination, 443, 614
Vaccinium angustifolium, 443
Buprestidae,
Agrilus planipennis, 790
cultural control, 790
emerald ash borer, 790
invasive nonnative pest, 790
buprofezin,
California red scale, 733
citricola scale, 733
cottony cushion scale, 733
pyriproxyfen, 733
buzz-pollination,
Amegilla, 828
Bombus, 828
greenhouse, 828
tomato, 828

C

cabbage,
insecticide treated net, 450
mosquito netting, 450
Plutella xylostella, 450
vegetable protection, 450
cabbage looper, 1334, 2156
attract-and-kill, 1334
beet armyworm, 2156
development, 2156
diamondback moth, 1334
fecundity, 2156
host plant resistance, 2156
imported cabbageworm, 1334
cadherin,
Bacillus thuringiensis crops, 946
molecular monitoring, 946
Pectinophora gossypiella, 946
resistance detection, 946
Cadra cautella,
essential oil, 593
mode of action, 593
natural fumigant, 593
natural insecticide, 593
California,
Bactrocera oleae, 2072
Olea europaea, 2072
California red scale,
buprofezin, 733
citricola scale, 733
cottony cushion scale, 733
pyriproxyfen, 733
Calosoma sayi,
Geocoris uliginosus, 1711
Lycosa sp., 1711
Megacephala carolina carolina, 1711
Solenopsis invicta, 1711
camouflage,
competitive attraction, 1327
desensitization, 1327
false-plume following, 1327
mating disruption, 1327
canola,
Delia spp., 1665
fall seeding, 1665
plant density, 1665
root maggots, 1665
carbaryl, 393, 1691
acephate, 393
bifenthrin, 393, 1691
Dendroctonus, 1691
dinotefuran, 393
permethrin, 393
Picea, 1691
Pinus, 1691
carbon exchange rates,
Blissus occiduus, 222
buffalograss, 222
fluorescence kinetics, 222
nonstructural carbohydrates, 222
carboxylesterase,
Apistan, 1046
cytochrome P450 monooxygenase, 1046
glutathione *S*-transferase, 1046
Varroa destructor, 1046
carpel damage,
Anthonomus grandis grandis, 1251
boll, 1251
cotton, 1251
insecticide, 1251
carrier particles,
Ceratitis capitata, 1194
electrostatic, 1194
insect control, 1194
Casimiroa edulis,
Anastrepha ludens, 1994
attractants, 1994
gas chromatography-electroantennographic detection, 1994
volatiles, 1994
catch efficiency,
cost reliability, 568
dispersion pattern, 568
precision, 568
sampling plan, 568
CATTS,
apple, 1620
codling moth, 1620
oriental fruit moth, 1620
quarantine, 1620
cellulase gene,
Coptotermes formosanus, 123
identification, 123
Reticulitermes speratus, 123
subterranean termite, 123
Cerambycidae,
Anoplophora glabripennis, 85
azadirachtin, 85

imidacloprid, 85
insecticides, 85
Plectrodera scalator, 85
Ceratitis capitata, 359, 979, 1194, 1420
artificial neural networks, 979
backpropagation, 979
biosecurity, 979
botanical insecticides, 359
carrier particles, 1194
Cestrum parqui, 359
electrostatic, 1194
insect control, 1194
Lymantria dispar, 979
microsatellites, 1420
polyandry, 1420
wild populations, 1420
cereal pest,
genetic resistance, 2151
host race, 2151
plant resistance, 2151
Russian wheat aphid, 2151
Cestrum parqui,
botanical insecticides, 359
Ceratitis capitata, 359
chaetotaxy,
alfalfa weevil, 2216
Hyperini, 2216
larva, 2216
morphology, 2216
chemical control,
bait, 1739
delayed toxicity, 1739
red imported fire ant, 1739
Solenopsis invicta, 1739
cherry fruit fly,
ammonium acetate, 1316
fruit flies, 1316
protein bait, 1316
reduced-risk insecticide, 1316
cherry pollination,
Apis mellifera, 408
Osmia lignaria, 408
Prunus avium, 408
Cheyletus malaccensis,
diatomaceous earth, 229
stored wheat, 229
Tyrophagus putrescentiae, 229
chinch bug, 203, 212
Blissus, 203, 212
plant resistance, 203, 212
sorghum, 203, 212
turfgrass, 203, 212
chlorfenapyr, 864, 886, 2080
Cimex lectularius, 2080
insecticide transfer, 864
nonrepellent termiticides, 886
pyrethroids, 2080
pyrroles, 886
repellency, 2080
Reticulitermes flavipes, 886
Reticulitermes hesperus, 864
soil insecticide, 864
toxicant transfer, 886
chloronicotinyl,
organophosphate, 1345
pyrethroid, 1345
termiticides, 1345
chlorosis,
aphid biomass, 551
plant biomass, 551
chlorpyrifos,
integrated pest management, 771
mating disruption, 771
outbreak, 771
Chrysomela scripta,
biorational insecticides, 102
coccinellids, 102
imidacloprid, 102
novel stick soak, 102
Cimex,
bed bugs, 2132
black plastic, 2132
control, 2132
mattress, 2132
Cimex lectularius,
chlorfenapyr, 2080
pyrethroids, 2080
repellency, 2080
circulative virus,
aphid, 2185
Banana bunchy top virus, 2185
vector, 2185
Circulifer tenellus,
BLTVA phytoplasma, 268
insect vector, 268
potato purple top disease, 268
citricola scale,
buprofezin, 733
California red scale, 733
cottony cushion scale, 733
pyriproxyfen, 733
citrus, 109, 421, 1321
development, 1321
Diaprepes abbreviatus, 109
Epiphyas postvittana, 421, 1321
kaolin, 109
orange, 421
oviposition, 109
particle film, 109
pheromone, 421
survival, 1321
Citrus clementina,
Aphis spiraecola, 1273
economic injury level, 1273
economic threshold, 1273
citrus mealybug,
compatibility, 1596
insecticides, 1596
natural enemies, 1596
pest management, 1596
Citrus paradisi,
Anastrepha ludens, 1184
gibberellic acid, 1184
pest management, 1184
trap crops, 1184
classification sequential sampling,
fixed precision sequential sampling, 559
Taylor's power law, 559
coccinellids,
biorational insecticides, 102
Chrysomela scripta, 102
imidacloprid, 102
novel stick soak, 102
coconut scale,
phytosanitary treatment, 1138
quarantine pest, 1138
x-ray, 1138
codling moth, 699, 707, 1610, 1620
apple, 1620
CATTS, 1620
commodity treatment, 1610
diapause, 699
locomotor activity, 707
mobility, 699
oriental fruit moth, 1610, 1620
quality control, 699, 707
quarantine, 1610, 1620
sterile insect technique, 699
stone fruit, 1610
temperature, 707
colony composition,
food distribution, 129
food type, 129
Monomorium orientale, 129
color contrast,
Ascosphaera aggregata, 626
Megachile rotundata, 626
nest location, 626
three-dimensional, 626
comet assay,
DNA damage, 1912
gamma radiation, 1912
Rhyzopertha dominica, 1912
soft-electron beam, 1912
commodity treatment,
codling moth, 1610
oriental fruit moth, 1610
quarantine, 1610
stone fruit, 1610
compatibility, 288, 1596
citrus mealybug, 1596
fungicides, 288
herbicides, 288
insecticides, 288, 1596
natural enemies, 1596
pest management, 1596
Tiphia vernalis, 288
compensatory growth,
gall, 1842
growth inhibition, 1842
Mayetiola destructor, 1842

systemic effects, 1842
competition,
Ephestia kuehniella, 2191
Harbobracon hebetor, 2191
SADIE, 2191
Venturia canescens, 2191
competitive attraction, 1327, 1705
camouflage, 1327
desensitization, 1327
emulsifiable wax, 1705
false-plume following, 1327
Grapholita molesta, 1705
mating disruption, 1327
oriental fruit moth, 1705
computed tomography,
insect-damaged kernels, 583
internal infestation, 583
sampling, 583
stored-product insects, 583
Conocephalus chinensis,
egg mortality, 366
Leptocorisa chinensis, 366
natural enemy, 366
Conotrachelus nenuphar, 2055, 2065
apple, 2055
flight mill, 2065
insect flight, 2065
plant–insect–chemistry triad, 2055
plum curculio, 2065
residue profile, 2055
sublethal effects, 2055
Contarinia nasturtii, 117, 1310
Brassicaceae, 1310
cruciferous vegetables, 1310
insecticide efficacy, 117
invasive insect pest, 117
molecular identification, 1310
pheromone trap, 1310
control, 1017, 1722, 2132
bed bugs, 2132
black plastic, 2132
Cimex, 2132
diatomaceous earth, 1017
imidacloprid, 1722
mattress, 2132
movement, 1017
Rhagoletis indifferens, 1722
Rhyzopertha dominica, 1017
spinosad, 1722
thiacloprid, 1722
wheat, 1017
controlled atmosphere,
heat treatment, 658
Prunus avium, 658
quarantine, 658
Rhagoletis indifferens, 658
Copitarsia decolora, 797, 1605
(Z)-9-tetradecenol, 797
(Z)-9-tetradecenyl acetate, 797
Noctuidae, 797, 1605
pathway analysis, 1605
risk assessment, 1605
sex pheromone, 797
Coptotermes acinaciformis,
aboveground use, 1749
Australia, 1749
borate, 1749
subterranean termites, 1749
Coptotermes formosanus, 123, 1363
bait toxicant, 1363
benzoylphenylurea, 1363
bistrifluron, 1363
cellulase gene, 123
identification, 123
Reticulitermes speratus, 123
subterranean termite, 123
corn, 76, 2002
critical density, 76
economic threshold, 76
European chafer, 76
Ostrinia nubilalis, 2002
pheromone traps, 2002
sequential sampling, 76
weather, 2002
windbreaks, 2002
corn earworm, 728, 2164
genetically modified, 2164
genetically modified crop, 728
Helicoverpa zea, 2164
intraguild predation, 728
plant resistance, 2164
Zea mays, 728, 2164
corn rootworm, 483, 1085
Bacillus thuringiensis, 1085
Cry3Bb1, 1085
Diabrotica virgifera virgifera, 483
insect predators, 1085
Insecticide resistance, 483
parameter uncertainty, 483
sensitivity analysis, 483
transgenic corn, 1085
Coroplast,
Alsynite, 1025
Muscidae, 1025
stable flies, 1025
sticky traps, 1025
cost reliability,
catch efficiency, 568
dispersion pattern, 568
precision, 568
sampling plan, 568
cotton, 671, 1251
Anthonomus grandis grandis, 1251
boll, 1251
carpel damage, 1251
insecticide, 1251
restriction fragment length polymorphism, 671
Spodoptera frugiperda, 671
cotton aphid,
Aphis gossypii, 1820
cotton cultivar, 1820
life table, 1820
plant resistance, 1820
cotton bollworm,
effective refuge, 2116
fitness cost, 2116
insect resistance management, 2116
transgenic crops, 2116
cotton cultivar,
Aphis gossypii, 1820
cotton aphid, 1820
life table, 1820
plant resistance, 1820
cotton gin,
Anthonomus grandis, 67
boll weevil eradication, 67
cotton module, 67
dispersal, 67
cotton module,
Anthonomus grandis, 67
boll weevil eradication, 67
cotton gin, 67
dispersal, 67
cottony cushion scale,
buprofezin, 733
California red scale, 733
citricola scale, 733
pyriproxyfen, 733
cranberries,
bumble bees, 614
honey bees, 614
pollination, 614
critical density, 76, 987
corn, 76
economic threshold, 76
European chafer, 76
Myzus persicae, 987
pest management, 987
sampling statistics, 987
sequential sampling, 76
threshold, 987
crop protection,
Brassica rapa, 803
Phyllotreta cruciferae, 803
Phyllotreta striolata, 803
sampling, 803
crop rotation,
adaptation, 685
microsatellite, 685
population genetics, 685
western corn rootworm, 685
cross-resistance,
insecticide resistance, 931
selection, 931
spinosad, 931
cruciferous vegetables,
Brassicaceae, 1310
Contarinia nasturtii, 1310
molecular identification, 1310

pheromone trap, 1310
Cry1Ab *Bacillus thuringiensis* susceptibility,
Diatraea grandiosella, 194
Diatraea saccharalis, 194
Ostrinia nubilalis, 194
Cry1Ac, 164, 893
Helicoverpa armigera, 893
Helicoverpa zea, 164
Heliothis virescens, 164
LC_{50}, 164
MIC_{50}, 164
resistance management, 893
Cry34/Cry35Ab1,
Bacillus thuringiensis, 1381
Diabrotica virgifera virgifera, 1381
insecticidal traits, 1381
resistance management, 1381
Cry3Bb1, 927, 1085
Bacillus thuringiensis, 1085
behavior, 927
corn rootworm, 1085
insect predators, 1085
survival, 927
transgenic corn, 1085
transgenics, 927
western corn rootworm, 927
Cucumis sativus,
cucurbit borers, 2177
decision making, 2177
natural enemy, 2177
cucurbit borers,
Cucumis sativus, 2177
decision making, 2177
natural enemy, 2177
cultivar,
bioassay, 972
breeding, 972
plant resistance, 972
resistance screen, 972
cultivar resistance,
cultivar-specific thresholds, 966
Diatraea saccharalis, 966
insecticidal control, 966
cultivar-specific thresholds,
cultivar resistance, 966
Diatraea saccharalis, 966
insecticidal control, 966
cultural control,
Agrilus planipennis, 790
Buprestidae, 790
emerald ash borer, 790
invasive nonnative pest, 790
cyanogen,
Anoplophora glabripennis, 308
ethanedinitrile, 308
fumigant, 308
toxicity, 308
Cydia pomonella,
AFLP, 341
gene flow, 341
Cylas,
Diabrotica, 1877
Ipomoea, 1877
plant resistance, 1877
white grub, 1877
Cylas formicarius,
insecticide susceptibility, 2024
Ipomoea batatas, 2024
resistance monitoring, 2024
cytochrome P450,
Helicoverpa armigera, 1784
mRNA expression, 1784
pyrethroid, 1784
resistance, 1784
cytochrome P450 monooxygenase,
Apistan, 1046
carboxylesterase, 1046
glutathione S-transferase, 1046
Varroa destructor, 1046
cytoplasmic male sterility,
Atherigona soccata, 1452
mechanisms of resistance, 1452

D

Daktulosphaira vitifoliae,
degree-days, 1774
grape phylloxera, 1774
population dynamics, 1774
data transformation,
experimental analyses, 1002
factorial arrangements, 1002
decision making,
Cucumis sativus, 2177
cucurbit borers, 2177
natural enemy, 2177
Dectes texanus texanus,
mating compatibility, 48
morphometric comparison, 48
soybean, 48
sunflower, 48
degree-days,
Daktulosphaira vitifoliae, 1774
grape phylloxera, 1774
population dynamics, 1774
delayed toxicity,
bait, 1739
chemical control, 1739
red imported fire ant, 1739
Solenopsis invicta, 1739
Delia antiqua,
insecticide resistance, 1375
onion, 1375
onion maggot, 1375
Delia spp.,
canola, 1665
fall seeding, 1665
plant density, 1665
root maggots, 1665
Dendranthema grandiflora,
Aphidius colemani, 1104
Aphis gossypii, 1104
augmentation biological control, 1104
inoculative releases, 1104
Dendroctonus,
bifenthrin, 1691
carbaryl, 1691
Picea, 1691
Pinus, 1691
density estimates,
dispersal, 1051
glassy-winged sharpshooter, 1051
Lincoln index, 1051
survival analysis, 1051
desensitization,
camouflage, 1327
competitive attraction, 1327
false-plume following, 1327
mating disruption, 1327
detoxifying enzymes,
multiple resistance, 954
pyridaben, 954
resistance mechanism, 954
Tetranychus urticae, 954
development, 544, 1209, 1214, 1321, 1509, 1636, 2156
(*E*)-β-farnesene, 1636
alarm pheromone, 1636
Aphis gossypii, 1636
beet armyworm, 2156
biotype 2, 544
cabbage looper, 2156
citrus, 1321
Diuraphis noxia, 544, 1214
Epiphyas postvittana, 1321
fecundity, 2156
fecundity fitness, 1636
host plant resistance, 2156
Indianmeal moth, 1509
insect growth regulator, 1509
mortality, 1509
nitrogen content, 1209
Plodia interpunctella, 1509
reproduction, 544, 1214
rice, 1209
root aphid, 1209
survival, 1214, 1321
temperature, 1209, 1214
Triticum aesticum, 544
Diabrotica,
Cylas, 1877
Ipomoea, 1877
plant resistance, 1877
white grub, 1877
Diabrotica virgifera virgifera, 483, 1381, 1407
Bacillus thuringiensis, 1381
corn rootworm, 483

Cry34/Cry35Ab1, 1381
insect resistance management, 1407
insecticidal traits, 1381
Insecticide resistance, 483
parameter uncertainty, 483
resistance management, 1381
sensitivity analysis, 483
simulation model, 1407
diamondback moth, 1334, 2171
attract-and-kill, 1334
broccoli, 2171
cabbage looper, 1334
fixed sample size, 2171
imported cabbageworm, 1334
precision, 2171
sampling, 2171
diapause,
codling moth, 699
mobility, 699
quality control, 699
sterile insect technique, 699
Diaprepes abbreviatus, 109, 811
citrus, 109
kaolin, 109
net CO_2 assimilation, 811
oviposition, 109
particle film, 109
stomatal conductance, 811
transpiration, 811
diatomaceous earth, 229, 1017, 1520, 1899, 1905, 1948
barley, 1905
Beauveria bassiana, 1948
Cheyletus malaccensis, 229
control, 1017
Ephestia kuehniella, 1520, 1905
imidacloprid, 1948
inert dusts, 1520
insect strain, 1899
movement, 1017
physical control, 1899
Rhyzopertha dominica, 1017
rye, 1905
Scapteriscus borellii, 1948
SilicoSec, 1520
stored wheat, 229, 1520, 1899
synergy, 1948
Tribolium confusum, 1899
Tyrophagus putrescentiae, 229
wheat, 1017, 1905
Diatraea grandiosella,
Cry1Ab *Bacillus thuringiensis* susceptibility, 194
Diatraea saccharalis, 194
Ostrinia nubilalis, 194
Diatraea saccharalis, 194, 966, 1867
Cry1Ab *Bacillus thuringiensis* susceptibility, 194
cultivar resistance, 966
cultivar-specific thresholds, 966
Diatraea grandiosella, 194
Eoreuma loftini, 1867
insecticidal control, 966
Ostrinia nubilalis, 194
plant resistance, 1867
rice, 1867
whitehead, 1867
Dicyphus hesperus,
biological control, 414
Frankliniella occidentalis, 414
greenhouse tomatoes, 414
dielectric barrier discharge,
atmospheric pressure plasma, 38
insect control, 38
quarantine, 38
digging behavior, 476, 634
active contact, 634
fipronil, 476
fire ant, 476
mortality, 476
passive contact, 634
red imported fire ant, 634
worker mortality, 634
Diglyphus isaea,
biological control, 1168
integrated pest management, 1168
sterile insect technique, 1168
synergistic interaction, 1168
dinotefuran,
acephate, 393
bifenthrin, 393
carbaryl, 393
permethrin, 393
Diptera,
Anastrepha, 1979
quality control, 1979
sexual compatibility, 1979
Tephritidae, 1979
direct spray contact,
Beauveria bassiana, 1120
residual activity, 1120
Trichoplusia ni, 1120
disease vectors,
airflow, 182
biting insects, 182
exclusion, 182
passenger bridge, 182
dispersal, 67, 1051, 1152, 1641
Anthonomus grandis, 67
Anthonomus grandis grandis, 1152
boll weevil eradication, 67
Bt, 1641
cotton gin, 67
cotton module, 67
density estimates, 1051
European corn borer, 1641
food, 1152
glassy-winged sharpshooter, 1051
habitats, 1152
Lincoln index, 1051
overwinter, 1152
survival analysis, 1051
transgenic corn, 1641
dispersion pattern,
catch efficiency, 568
cost reliability, 568
precision, 568
sampling plan, 568
disturbance,
alarm, 462
behavior, 462
Isoptera, 462
Reticulitermes flavipes, 462
Diuraphis noxia, 544, 1214, 1854, 1862
antibiosis, 1854
biotype, 1862
biotype 2, 544
development, 544, 1214
insect resistance categories, 1854
plant resistance, 1862
proportional plant dry weight loss, 1854
reproduction, 544, 1214
survival, 1214
temperature, 1214
tolerance index, 1854
Triticum aestivum, 544, 1862
DNA damage,
comet assay, 1912
gamma radiation, 1912
Rhyzopertha dominica, 1912
soft-electron beam, 1912
dry matter yield,
alfalfa weevil, 1235
forage quality, 1235
glandular-haired alfalfa, 1235
potato leafhopper, 1235
drywood termite,
acoustic emissions, 1354
resmethrin, 1354
sodium borate, 1354
spinosad, 1354
dung decomposition,
nutrient cycling, 2210
Scarabaeidae, 2210
dye,
IPM, 822
monitoring, 822
salivary enzyme, 822
southern green stink bug, 822

E

(*E*)-β-farnesene,
alarm pheromone, 1636
Aphis gossypii, 1636
development, 1636

fecundity fitness, 1636
economic injury level,
Aphis spiraecola, 1273
Citrus clementina, 1273
economic threshold, 1273
economic threshold, 76, 899, 1273
Aphis spiraecola, 1273
Citrus clementina, 1273
corn, 76
critical density, 76
economic injury level, 1273
European chafer, 76
IPM, 899
sampling, 899
sequential sampling, 76
transgenic crops, 899
western corn rootworm, 899
EcoTrol,
acaricidal activity, 2015
Phytoseiulus persimilis, 2015
rosemary oil, 2015
Tetranychus urticae, 2015
effective refuge,
cotton bollworm, 2116
fitness cost, 2116
insect resistance management, 2116
transgenic crops, 2116
efficacy,
nucleopolyhedrovirus, 14
Orgyia pseudotsugata, 14
storage, 14
TM Biocontrol-1, 14
egg mortality,
Conocephalus chinensis, 366
Leptocorisa chinensis, 366
natural enemy, 366
electrostatic,
carrier particles, 1194
Ceratitis capitata, 1194
insect control, 1194
emamectin benzoate, 176, 383
Anoplophora glabripennis, 383
azadirachtin, 383
imidacloprid, 383
indoxacarb, 176
Plutella xylostella, 176
resistance, 176
spinosad, 176
thiacloprid, 383
emerald ash borer,
Agrilus planipennis, 790
Buprestidae, 790
cultural control, 790
invasive nonnative pest, 790
Empoasca fabae, 537, 1483
alfalfa, 537
glandular trichomes, 537, 1483
Medicago sativa, 537
plant resistance, 1483
potato leafhopper, 537
Solanum berthaultii, 1483
emulsifiable wax,
competitive attraction, 1705
Grapholita molesta, 1705
oriental fruit moth, 1705
entomopathogenic fungi, 1, 1096
Aethina tumida, 1
Agrilus planipennis, 1096
Apis mellifera, 1
bioassay, 1096
biological control, 1
microbial control, 1096
susceptibility, 1096
enumerative sampling, 993, 1490
binomial distribution, 1490
binomial sampling, 993, 1490
Planococcus citri, 993
Taylor's power law, 993, 1490
Tetranychus urticae, 1490
Eoreuma loftini,
Diatraea saccharalis, 1867
plant resistance, 1867
rice, 1867
whitehead, 1867
Ephestia kuehniella, 1520, 1905, 2191
barley, 1905
competition, 2191
diatomaceous earth, 1520, 1905
Harbobracon hebetor, 2191
inert dusts, 1520
rye, 1905
SADIE, 2191
SilicoSec, 1520
stored wheat, 1520
Venturia canescens, 2191
wheat, 1905
epidemiology,
geographic information system, 1936
glassy-winged sharpshooter, 1936
Moran's *I*, 1936
Epiphyas postvittana, 421, 508, 1321
Bt, 508
citrus, 421, 1321
development, 1321
feeding, 508
movement, 508
orange, 421
pheromone, 421
survival, 1321
toxins, 508
eradication,
integrated pest management, 1550
mass trapping, 1550
semiochemicals, 1550
essential oil, 593, 1733
Cadra cautella, 593
mode of action, 593
natural fumigant, 593, 1733
natural insecticide, 593, 1733
Orius strigicollis, 1733
Thrips palmi, 1733
ethanedinitrile,
Anoplophora glabripennis, 308
cyanogen, 308
fumigant, 308
toxicity, 308
etoxazole,
acaricide toxicity, 54
Orius insidiosus, 54
propargite fenpropathrin, 54
Tetranychus urticae, 54
Eucalyptus,
Btk, 780
Mimic, 780
spinosad, 780
Uraba lugens, 780
European chafer,
corn, 76
critical density, 76
economic threshold, 76
sequential sampling, 76
European corn borer, 1641, 1768, 1987
alternate hosts, 1987
baseline susceptibility, 1768
Bt, 1641
Bt corn, 1768
dispersal, 1641
feeding preference, 1987
Ostrinia nubilalis, 1768
transgenic corn, 1641
exclusion,
airflow, 182
biting insects, 182
disease vectors, 182
passenger bridge, 182
exotic pests,
molecular identification key, 1813
Neohydatothrips, 1813
nondestructive DNA extraction, 1813
Scirtothrips, 1813
experimental analyses,
data transformation, 1002
factorial arrangements, 1002

F

F_2 screen,
Ostrinia nubilalis, 502
resistance management, 502
transgenic corn, 502
factorial arrangements,
data transformation, 1002
experimental analyses, 1002
fall armyworm,
host plant, 519
RAPD markers, 519
resistance management, 519

fall seeding,
canola, 1665
Delia spp., 1665
plant density, 1665
root maggots, 1665
false-plume following,
camouflage, 1327
competitive attraction, 1327
desensitization, 1327
mating disruption, 1327
fecundity, 427, 1955, 2156
beet armyworm, 2156
biological control, 1955
cabbage looper, 2156
development, 2156
fertility, 427, 1955
host plant resistance, 2156
Lobesia botrana, 427
lufenuron, 427
mortality, 427
reproductive effects, 1955
sublethal effects, 1955
fecundity fitness,
(*E*)-β-farnesene, 1636
alarm pheromone, 1636
Aphis gossypii, 1636
development, 1636
feeding,
Bt, 508
Epiphyas postvittana, 508
movement, 508
toxins, 508
feeding preference, 1143, 1987
alternate hosts, 1987
Bemisia tabaci, 1143
European corn borer, 1987
Macrolophus caliginosus, 1143
Trialeurodes vaporariorum, 1143
feeding trial,
artificial diet, 714
Liquidambar formosana, 714
Lymantria xylina, 714
fertility, 427, 1955
biological control, 1955
fecundity, 427, 1955
Lobesia botrana, 427
lufenuron, 427
mortality, 427
reproductive effects, 1955
sublethal effects, 1955
fescue,
alkaloid, 1462
armyworm, 1462
insect resistance, 1462
ryegrass, 1462
field control,
attraction, 1651
behavior, 1651
traps, 1651
visual response, 1651
field sampling,
grape, 578
leafhopper, 578
Taylor's power law, 578
vector, 578
fipronil, 476, 914
digging behavior, 476
fire ant, 476
GABA receptor, 914
insecticide resistance, 914
mortality, 476
Plutella xylostella, 914
Rdl, 914
fipronil bait,
Odontotermes formosanus, 455
triple mark–capture, 455
fire ant, 313, 476, 621
bait, 621
digging behavior, 476
fipronil, 476
identification, 313
insect growth regulator, 621
methoprene, 621
mortality, 476
PCR, 313
quarantine, 313
scanning electron microscopy, 313
Solenopsis invicta, 621
fitness cost, 920, 1925, 2116
Bacillus thuringiensis, 1925
biological control, 920
cotton bollworm, 2116
effective refuge, 2116
genetically modified crops, 1925
insect resistance management, 2116
Pectinophora gossypiella, 920, 1925
resistance, 1925
resistance management, 920
Steinernema riobrave, 920
transgenic crops, 2116
fixed precision sequential sampling,
classification sequential sampling, 559
Taylor's power law, 559
fixed sample size,
broccoli, 2171
diamondback moth, 2171
precision, 2171
sampling, 2171
flight mill,
Conotrachelus nenuphar, 2065
insect flight, 2065
plum curculio, 2065
flow-through system,
Aedes taeniorhynchus, 745
Artemia, 745
fluctuating salinity, 745
insecticide tolerance, 745
fluctuating salinity,
Aedes taeniorhynchus, 745
Artemia, 745
flow-through system, 745
insecticide tolerance, 745
fluorescence,
azaleas, 2136
biological control, 2136
molecular detection, 2136
Stephanitis pyrioides, 2136
fluorescence kinetics,
Blissus occiduus, 222
buffalograss, 222
carbon exchange rates, 222
nonstructural carbohydrates, 222
food,
Anthonomus grandis grandis, 1152
dispersal, 1152
habitats, 1152
overwinter, 1152
food aversion,
Blattella germanica, 1761
gel bait, 1761
inheritance, 1761
insecticide resistance, 1761
food distribution,
colony composition, 129
food type, 129
Monomorium orientale, 129
food type,
colony composition, 129
food distribution, 129
Monomorium orientale, 129
forage quality,
alfalfa weevil, 1235
dry matter yield, 1235
glandular-haired alfalfa, 1235
potato leafhopper, 1235
foraging behavior,
Apis mellifera, 1565
pollination, 1565
Prunus dulcis, 1565
formulations,
adjuvants, 1065
Bacillus thuringiensis, 1065
sludge, 1065
wastewater, 1065
fourlined plant bug,
biocontrol, 432
jumping spider, 432
plant performance, 432
Frankliniella fusca,
acephate, 764
imidacloprid, 764
pest management, 764
tospovirus, 764
Frankliniella occidentalis,
biological control, 414
Dicyphus hesperus, 414

greenhouse tomatoes, 414
fruit flies,
ammonium acetate, 1316
cherry fruit fly, 1316
protein bait, 1316
reduced-risk insecticide, 1316
fruit tree,
amensalism, 678
Amphitetranychus, 678
Panonychus, 678
Tetranychus, 678
fumigant, 308, 1717
Anoplophora glabripennis, 308
cyanogen, 308
ethanedinitrile, 308
Lycoriella ingenua, 1717
plant essential oils, 1717
pulegone, 1717
Schizonepeta tenuifolia, 1717
toxicity, 308
fumigation, 664, 1628, 1920
acrolein, 1920
Anoplophora glabripennis, 664
insect, 1920
methyl bromide, 664
quarantine, 664, 1628
regulated wood packing materials, 664
sulfuryl fluoride, 1628
toxicity, 1920
wheat, 1920
fungal extract,
acute activity, 1657
microbial pesticides, 1657
Mucorales, 1657
fungicides,
compatibility, 288
herbicides, 288
insecticides, 288
Tiphia vernalis, 288
funnel traps,
bark beetle management, 373
pheromones, 373
semiochemicals, 373

G

GABA receptor,
fipronil, 914
insecticide resistance, 914
Plutella xylostella, 914
Rdl, 914
gall,
compensatory growth, 1842
growth inhibition, 1842
Mayetiola destructor, 1842
systemic effects, 1842
gamma radiation,
comet assay, 1912
DNA damage, 1912
Rhyzopertha dominica, 1912
soft-electron beam, 1912
gas chromatography-electroantennographic detection,
Anastrepha ludens, 1994
attractants, 1994
Casimiroa edulis, 1994
volatiles, 1994
gel bait,
Blattella germanica, 1761
food aversion, 1761
inheritance, 1761
insecticide resistance, 1761
gene flow,
AFLP, 341
Cydia pomonella, 341
genetic correlation,
avoidance, 1388
heritability, 1388
Plutella xylostella, 1388
pyrethroids, 1388
genetic resistance,
cereal pest, 2151
host race, 2151
plant resistance, 2151
Russian wheat aphid, 2151
genetically modified,
corn earworm, 2164
Helicoverpa zea, 2164
plant resistance, 2164
Zea mays, 2164
genetically modified crop, 728, 1925, 2125
Bacillus thuringiensis, 1925, 2125
corn earworm, 728
fitness costs, 1925
genetics, 2125
intraguild predation, 728
Pectinophora gossypiella, 1925, 2125
resistance, 1925, 2125
Zea mays, 728
genetics,
Bacillus thuringiensis, 2125
genetically modified crops, 2125
Pectinophora gossypiella, 2125
resistance, 2125
Geocoris uliginosus,
Calosoma sayi, 1711
Lycosa sp., 1711
Megacephala carolina carolina, 1711
Solenopsis invicta, 1711
geographic information system,
epidemiology, 1936
glassy-winged sharpshooter, 1936
Moran's *I*, 1936
geophone,
accelerometer, 244
acoustics, 244
soil insects, 244
stridulation, 244
gibberellic acid,
Anastrepha ludens, 1184
Citrus paradisi, 1184
pest management, 1184
trap crops, 1184
glandular trichomes, 537, 1483
alfalfa, 537
Empoasca fabae, 537, 1483
Medicago sativa, 537
plant resistance, 1483
potato leafhopper, 537
Solanum berthaultii, 1483
glandular-haired alfalfa,
alfalfa weevil, 1235
dry matter yield, 1235
forage quality, 1235
potato leafhopper, 1235
glassy-winged sharpshooter, 1051, 1805, 1936
density estimates, 1051
dispersal, 1051
epidemiology, 1936
geographic information system, 1936
Lincoln index, 1051
Moran's *I*, 1936
neonicotinoids, 1805
organophosphates, 1805
pyrethroids, 1805
resistance management, 1805
survival analysis, 1051
glutathione *S*-transferase,
Apistan, 1046
carboxylesterase, 1046
cytochrome P450 monooxygenase, 1046
Varroa destructor, 1046
Glycine max,
antibiosis, 1884
antixenosis, 1884
Aphis glycines, 1884
Gnathamitermes,
Heterorhabditis, 1112
Heterotermes, 1112
Reticulitermes, 1112
Steinernema, 1112
grandlure,
Anthonomus grandis, 1675
boll weevil, 1675
pheromone, 1675
trapping, 1675
grape,
field sampling, 578
leafhopper, 578
Taylor's power law, 578
vector, 578
grape phylloxera,
Daktulosphaira vitifoliae, 1774
degree-days, 1774
population dynamics, 1774

Grapholita molesta,
competitive attraction, 1705
emulsifiable wax, 1705
oriental fruit moth, 1705
greenbug,
remote sensing, 1682
spectral signatures, 1682
vegetation indices, 1682
wheat, 1682
greenhouse, 828, 1571
Amegilla, 828
Bombus, 828
Bombus terrestris, 1571
buzz-pollination, 828
ideal free distribution theory, 1571
Lycopersicum esculentum, 1571
pollen foraging, 1571
tomato, 828
greenhouse tomatoes,
biological control, 414
Dicyphus hesperus, 414
Frankliniella occidentalis, 414
growth inhibition,
compensatory growth, 1842
gall, 1842
Mayetiola destructor, 1842
systemic effects, 1842
grubs,
host plant resistance, 1699
Japanese beetle, 1699
turfgrass, 1699

H

H. coagulata,
neonicotinoids, 141
organophosphates, 141
petri dish bioassay, 141
systemic bioassay, 141
habitat complexity,
biological control, 2202
stored products, 2202
habitats,
Anthonomus grandis grandis, 1152
dispersal, 1152
food, 1152
overwinter, 1152
Habrobracon,
augmentation, 1080
packaging, 1080
Trichogramma, 1080
haplodiploid,
Bemisia tabaci, 1396
modeling, 1396
pyriproxyfen, 1396
resistance management, 1396
Harbobracon hebetor,
competition, 2191
Ephestia kuehniella, 2191
SADIE, 2191
Venturia canescens, 2191
hard red spring wheat,
bioassays, 1826
Indianmeal moth, 1826
Rhyzopertha dominica, 1826
sequential feeding, 1826
heat treatment,
controlled atmosphere, 658
Prunus avium, 658
quarantine, 658
Rhagoletis indifferens, 658
Helicoverpa armigera, 893, 1784
Cry1Ac, 893
cytochrome P450, 1784
mRNA expression, 1784
pyrethroid, 1784
resistance, 1784
resistance management, 893
Helicoverpa zea, 164, 2164
corn earworm, 2164
Cry1Ac, 164
genetically modified, 2164
Heliothis virescens, 164
LC_{50}, 164
MIC_{50}, 164
plant resistance, 2164
Zea mays, 2164
Heliothis virescens,
Cry1Ac, 164
Helicoverpa zea, 164
LC_{50}, 164
MIC_{50}, 164
herbicides,
compatibility, 288
fungicides, 288
insecticides, 288
Tiphia vernalis, 288
heritability,
avoidance, 1388
genetic correlation, 1388
Plutella xylostella, 1388
pyrethroids, 1388
Heteroptera,
Asopinae, 401
biological control, 401
life tables, 401
predator, 401
Heterorhabditis,
Gnathamitermes, 1112
Heterotermes, 1112
Reticulitermes, 1112
Steinernema, 1112
Heterotermes,
Gnathamitermes, 1112
Heterorhabditis, 1112
Reticulitermes, 1112
Steinernema, 1112
high-performance liquid chromatography,
bread-making quality, 757
sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 757
sunn pest, 757
Triticum aestivum, 757
Homalodisca coagulata,
oleander leaf scorch, 1058
Pierce's disease, 1058
honey bee, 7, 253, 614
Apis mellifera capensis, 7
beekeeping industry, 7
bumble bees, 614
cranberries, 614
parasite, 7
pesticides, 253
pollen loads, 253
pollination, 614
pollution, 253
recommendations, 7
horn fly,
Beauveria bassiana, 1943
Metarhizium anisopliae, 1943
Paecilomyces fumosoroseus, 1943
host odor,
kairomone, 1203
Macrosiphum euphorbiae, 1203
olfactometer, 1203
host plant,
fall armyworm, 519
RAPD markers, 519
resistance management, 519
host plant resistance, 527, 1446, 1699, 2100, 2156
avidin, 527
beet armyworm, 2156
Bt-Cry3A, 527
cabbage looper, 2156
development, 2156
fecundity, 2156
grubs, 1699
Japanese beetle, 1699
leptine, 527
Ostrinia nubilalis, 2100
pyramided transgenic insecticidal plants, 2100
resistance categories, 1446
resistance management, 2100
S. chacoense, 527
simulation modeling, 2100
Stenotaphrum secundatum, 1446
turfgrass, 1699
host race,
cereal pest, 2151
genetic resistance, 2151
plant resistance, 2151
Russian wheat aphid, 2151
host suitability,
blueberry, 1474
Illinoia pepperi, 1474
Vaccinium, 1474
Hyperini,
alfalfa weevil, 2216
chaetotaxy, 2216

larva, 2216
morphology, 2216

I

ideal free distribution theory,
Bombus terrestris, 1571
greenhouse, 1571
Lycopersicum esculentum, 1571
pollen foraging, 1571
identification, 123, 313, 2142
cellulase gene, 123
Coptotermes formosanus, 123
fire ants, 313
internal transcribed spacer-2, 2142
PCR, 313
quarantine, 313
Reticulitermes speratus, 123
scanning electron microscopy, 313
subterranean termite, 123
Trichogramma australicum, 2142
Trichogramma pretiosum, 2142
Illinoia pepperi,
blueberry, 1474
host suitability, 1474
Vaccinium, 1474
imidacloprid, 85, 102, 383, 764, 1722, 1948
acephate, 764
Anoplophora glabripennis, 85, 383
azadirachtin, 85, 383
Beauveria bassiana, 1948
biorational insecticides, 102
Cerambycidae, 85
Chrysomela scripta, 102
coccinellids, 102
control, 1722
diatomaceous earth, 1948
emamectin benzoate, 383
Frankliniella fusca, 764
insecticides, 85
novel stick soak, 102
pest management, 764
Plectrodera scalator, 85
Rhagoletis indifferens, 1722
Scapteriscus borellii, 1948
spinosad, 1722
synergy, 1948
thiacloprid, 383, 1722
tospovirus, 764
imported cabbageworm,
attract-and-kill, 1334
cabbage looper, 1334
diamondback moth, 1334
Indianmeal moth, 1509, 1826
bioassays, 1826
development, 1509
hard red spring wheat, 1826
insect growth regulator, 1509
mortality, 1509
Plodia interpunctella, 1509
Rhyzopertha dominica, 1826
sequential feeding, 1826
individual trees,
Adelges tsugae, 1500
sequential sampling, 1500
Tsuga canadensis, 1500
indoxacarb,
emamectin benzoate, 176
Plutella xylostella, 176
resistance, 176
spinosad, 176
inert dusts,
diatomaceous earth, 1520
Ephestia kuehniella, 1520
SilicoSec, 1520
stored wheat, 1520
inheritance, 494, 1761
Blattella germanica, 1761
food aversion, 1761
gel bait, 1761
insecticide resistance, 1761
Ostrinia nubilalis, 494
resistance, 494
transgenic corn, 494
inoculative releases,
Aphidius colemani, 1104
Aphis gossypii, 1104
augmentation biological control, 1104
Dendranthema grandiflora, 1104
insect,
acrolein, 1920
fumigation, 1920
toxicity, 1920
wheat, 1920
insect control, 38, 1194
atmospheric pressure plasma, 38
carrier particles, 1194
Ceratitis capitata, 1194
dielectric barrier discharge, 38
electrostatic, 1194
quarantine, 38
insect dispersal,
release–recapture, 2110
resistance management, 2110
insect flight,
Conotrachelus nenuphar, 2065
flight mill, 2065
plum curculio, 2065
insect growth regulator, 621, 834, 1007, 1509
bait, 621
development, 1509
fire ants, 621
Indianmeal moth, 1509
leafroller, 834
methoprene, 621
mortality, 1509
Plodia interpunctella, 1007, 1509
population dynamics, 1007
reproduction, 834
Solenopsis invicta, 621
sublethal effects, 834
surface treatment, 1007
tebufenozide, 834
insect predators,
Bacillus thuringiensis, 1085
corn rootworm, 1085
Cry3Bb1, 1085
transgenic corn, 1085
insect resistance,
alkaloid, 1462
armyworm, 1462
fescue, 1462
ryegrass, 1462
insect resistance categories,
antibiosis, 1854
Diuraphis noxia, 1854
proportional plant dry weight loss, 1854
tolerance index, 1854
insect resistance management, 1407, 2116
cotton bollworm, 2116
Diabrotica virgifera virgifera, 1407
effective refuge, 2116
fitness cost, 2116
simulation model, 1407
transgenic crops, 2116
insect resistance monitoring,
physiological fitness, 937
susceptibility, 937
Trichoplusia ni, 937
insect strain,
diatomaceous earth, 1899
physical control, 1899
stored wheat, 1899
Tribolium confusum, 1899
insect vector,
BLTVA phytoplasma, 268
Circulifer tenellus, 268
potato purple top disease, 268
insect-damaged kernels,
computed tomography, 583
internal infestation, 583
sampling, 583
stored-product insects, 583
insecticidal control,
cultivar resistance, 966
cultivar-specific thresholds, 966
Diatraea saccharalis, 966
insecticidal traits,
Bacillus thuringiensis, 1381
Cry34/Cry35Ab1, 1381
Diabrotica virgifera virgifera, 1381
resistance management, 1381

insecticide, 85, 288, 1251, 1258, 1369, 1538, 1596, 1757
Adelges tsugae, 1258
Anoplophora glabripennis, 85
Anthonomus grandis grandis, 1251
Aphis pomi, 1369
Aphis spiraecola, 1369
Argentine ant, 1757
azadirachtin, 85
Bacillus thuringiensis, 1538
biological control, 1538
boll, 1251
carpel damage, 1251
Cerambycidae, 85
citrus mealybug, 1596
compatibility, 288, 1596
cotton, 1251
fungicides, 288
herbicides, 288
imidacloprid, 85
IPM, 1538
management, 1757
model, 1538
natural enemies, 1596
pest management, 1596
Plectrodera scalator, 85
repellent, 1757
susceptibility, 1369
systemic, 1258
Tiphia vernalis, 288
toxicity, 1369
trap-mulch, 1757
insecticide efficacy,
Contarinia nasturtii, 117
invasive insect pest, 117
insecticide resistance, 483, 914, 931, 1375, 1761, 1798
Allium cepa, 1798
Blattella germanica, 1761
corn rootworm, 483
cross-resistance, 931
Delia antiqua, 1375
Diabrotica virgifera virgifera, 483
fipronil, 914
food aversion, 1761
GABA receptor, 914
gel bait, 1761
inheritance, 1761
onion, 1375
onion maggot, 1375
onion thrips, 1798
parameter uncertainty, 483
Plutella xylostella, 914
Rdl, 914
selection, 931
sensitivity analysis, 483
spinosad, 931
insecticide resistance testing,
broiler house, 908
lesser mealworm, 908
pyrethroid, 908
insecticide susceptibility,
Cylas formicarius, 2024
Ipomoea batatas, 2024
resistance monitoring, 2024
insecticide tolerance,
Aedes taeniorhynchus, 745
Artemia, 745
flow-through system, 745
fluctuating salinity, 745
insecticide transfer,
chlorfenapyr, 864
Reticulitermes hesperus, 864
soil insecticide, 864
insecticide treated net,
cabbage, 450
mosquito netting, 450
Plutella xylostella, 450
vegetable protection, 450
integrated pest management, 771, 879, 1168, 1245, 1550
biological control, 1168
Blattella germanica, 879
chlorpyrifos, 771
Diglyphus isaea, 1168
eradication, 1550
mass trapping, 1550
mating disruption, 771, 1245
outbreak, 771
potato, 1245
public housing, 879
semiochemicals, 1550
sex pheromone, 1245
sterile insect technique, 1168
synergistic interaction, 1168
Tecia solanivora, 1245
internal infestation,
computed tomography, 583
insect-damaged kernels, 583
sampling, 583
stored-product insects, 583
internal transcribed spacer-2,
identification, 2142
Trichogramma australicum, 2142
Trichogramma pretiosum, 2142
intraguild predation,
corn earworm, 728
genetically modified crop, 728
Zea mays, 728
intrinsic rate of increase,
plant stage, 60
soybean, 60
soybean aphid, 60
invasive insect pest,
Contarinia nasturtii, 117
insecticide efficacy, 117
invasive nonnative pest,
Agrilus planipennis, 790
Buprestidae, 790
cultural control, 790
emerald ash borer, 790
IPM, 822, 899, 1538
Bacillus thuringiensis, 1538
biological control, 1538
dye, 822
economic thresholds, 899
insecticides, 1538
model, 1538
monitoring, 822
salivary enzyme, 822
sampling, 899
southern green stink bug, 822
transgenic crops, 899
western corn rootworm, 899
Ipomoea,
Cylas, 1877
Diabrotica, 1877
plant resistance, 1877
white grub, 1877
Ipomoea batatas,
Cylas formicarius, 2024
insecticide susceptibility, 2024
resistance monitoring, 2024
Isoptera,
alarm, 462
behavior, 462
disturbance, 462
Reticulitermes flavipes, 462
Iwao's patchiness regression,
nested analysis of variance, 1890
Taylor's power law, 1890

J

Japanese beetle,
grubs, 1699
host plant resistance, 1699
turfgrass, 1699
jumping spider,
biocontrol, 432
fourlined plant bug, 432
plant performance, 432

K

kairomone,
host odor, 1203
Macrosiphum euphorbiae, 1203
olfactometer, 1203
kaolin, 23, 109
biological control, 23
citrus, 109
Diaprepes abbreviatus, 109
oviposition, 109
Pandora neoaphidis, 23
particle film, 109
particle films, 23
pea aphid, 23
Kentucky bluegrass,
Agrotis ipsilon, 850
plant resistance, 850
Kochia scoparia,
acaricidal activity, 858
Tetranychus cinnabarinus, 858

Tetranychus urticae, 858
Tetranychus viennensis, 858

L

larva,
alfalfa weevil, 2216
chaetotaxy, 2216
Hyperini, 2216
morphology, 2216
larval feeding behavior,
apple, 349
oriental fruit moth, 349
oviposition preference, 349
population dynamics, 349
LC_{50},
Cry1Ac, 164
Helicoverpa zea, 164
Heliothis virescens, 164
MIC_{50}, 164
LD_{50},
Apis mellifera, 1579
bioassay, 1579
oxalic acid, 1579
Varroa destructor, 1579
leafhopper,
field sampling, 578
grape, 578
Taylor's power law, 578
vector, 578
leafroller,
insect growth regulator, 834
reproduction, 834
sublethal effects, 834
tebufenozide, 834
leptine,
avidin, 527
Bt-Cry3A, 527
host plant resistance, 527
S. chacoense, 527
Leptocorisa chinensis,
Conocephalus chinensis, 366
egg mortality, 366
natural enemy, 366
lesser mealworm,
broiler house, 908
insecticide resistance testing, 908
pyrethroid, 908
lettuce,
Agromyzidae, 1268
Liriomyza huidobrensis, 1268
molecular diagnosis, 1268
PCR-RFLP, 1268
life table, 237, 401, 691, 1820
Aphis gossypii, 1820
Asopinae, 401
Bemisia argentifolii, 691
biological control, 237, 401
cotton aphid, 1820
cotton cultivar, 1820
Heteroptera, 401
plant resistance, 1820
predator, 401
stored products, 237
temperature, 691
Venturia canescens, 237
Lincoln index,
density estimates, 1051
dispersal, 1051
glassy-winged sharpshooter, 1051
survival analysis, 1051
linkage map,
mapping function, 2087
Musca domestica, 2087
Pgm, 2087
recombination frequencies, 2087
Liquidambar formosana,
artificial diet, 714
feeding trial, 714
Lymantria xylina, 714
Liriomyza huidobrensis,
Agromyzidae, 1268
lettuce, 1268
molecular diagnosis, 1268
PCR-RFLP, 1268
Listronotus bonariensis,
biological control, 273
Microctonus hyperodae, 273
Neotyphodium endophyte, 273
population dynamics, 273
Lobesia botrana,
fecundity, 427
fertility, 427
lufenuron, 427
mortality, 427
locomotor activity,
codling moth, 707
quality control, 707
temperature, 707
longevity,
malathion, 1225
oxidative stress, 1225
Pimpla turionellae, 1225
superoxide dismutase, 1225
lowbush blueberry production,
Bombus impatiens, 443
bumble bee, 443
pollination, 443
Vaccinium angustifolium, 443
lufenuron,
fecundity, 427
fertility, 427
Lobesia botrana, 427
mortality, 427
Lycopersicon,
Amegilla, 437
bluebanded bee, 437
pollination, 437
tomato, 437
Lycopersicum esculentum,
Bombus terrestris, 1571
greenhouse, 1571
ideal free distribution theory, 1571
pollen foraging, 1571
Lycoriella ingenua,
fumigant, 1717
plant essential oils, 1717
pulegone, 1717
Schizonepeta tenuifolia, 1717
Lycosa sp.,
Calosoma sayi, 1711
Geocoris uliginosus, 1711
Megacephala carolina carolina, 1711
Solenopsis invicta, 1711
Lymantria dispar,
artificial neural networks, 979
backpropagation, 979
biosecurity, 979
Ceratitis capitata, 979
Lymantria xylina,
artificial diet, 714
feeding trial, 714
Liquidambar formosana, 714

M

Macrolophus caliginosus,
Bemisia tabaci, 1143
feeding preference, 1143
Trialeurodes vaporariorum, 1143
Macrosiphum euphorbiae,
host odor, 1203
kairomone, 1203
olfactometer, 1203
Mahanarva fimbriolata,
neem aqueous extract, 2010
NeemAzal, 2010
Nimkol, 2010
sugarcane, 2010
malathion,
longevity, 1225
oxidative stress, 1225
Pimpla turionellae, 1225
superoxide dismutase, 1225
management,
Argentine ant, 1757
insecticide, 1757
repellent, 1757
trap-mulch, 1757
mapping function,
linkage map, 2087
Musca domestica, 2087
Pgm, 2087
recombination frequencies, 2087
mass trapping,
eradication, 1550
integrated pest management, 1550
semiochemicals, 1550

mating compatibility,
Dectes texanus texanus, 48
morphometric comparison, 48
soybean, 48
sunflower, 48
mating disruption, 771, 1245, 1280, 1327, 2048
camouflage, 1327
chlorpyrifos, 771
competitive attraction, 1327
desensitization, 1327
false-plume following, 1327
integrated pest management, 771, 1245
microencapsulated pheromone, 1280
oriental fruit moth, 2048
outbreak, 771
Planococcus ficus, 1280
potato, 1245
sex pheromone, 1245, 1280
sprayable microencapsulated pheromone, 2048
Tecia solanivora, 1245
vineyard, 1280
Matsumuratettix hiroglyphicus,
phytoplasma, 1531
sugarcane white leaf disease, 1531
transmission, 1531
Yamatotettix flavovittatus, 1531
mattress,
bed bugs, 2132
black plastic, 2132
Cimex, 2132
control, 2132
Mayetiola destructor,
compensatory growth, 1842
gall, 1842
growth inhibition, 1842
systemic effects, 1842
mechanisms of resistance,
Atherigona soccata, 1452
cytoplasmic male sterility, 1452
Medicago sativa,
alfalfa, 537
Empoasca fabae, 537
glandular trichomes, 537
potato leafhopper, 537
Megacephala carolina carolina, 1583, 1711
biological control, 1583
Calosoma sayi, 1711
Geocoris uliginosus, 1711
Lycosa sp., 1711
Prosapia bicincta, 1583
Solenopsis invicta, 1711
Spodoptera frugiperda, 1583
turfgrass, 1583
Megachile rotundata,
Ascosphaera aggregata, 626
color contrast, 626
nest location, 626
three-dimensional, 626
Metarhizium anisopliae,
Beauveria bassiana, 1943
horn fly, 1943
Paecilomyces fumosoroseus, 1943
methoprene,
bait, 621
fire ants, 621
insect growth regulator, 621
Solenopsis invicta, 621
methyl bromide,
Anoplophora glabripennis, 664
fumigation, 664
quarantine, 664
regulated wood packing materials, 664
MIC_{50},
Cry1Ac, 164
Helicoverpa zea, 164
Heliothis virescens, 164
LC_{50}, 164
microbial control, 1096, 1129
Agrilus planipennis, 1096
Agrotis ipsilon, 1129
baculovirus, 1129
bioassay, 1096
black cutworm, 1129
entomopathogenic fungi, 1096
susceptibility, 1096
turfgrass, 1129
microbial pesticides,
acute activity, 1657
fungal extract, 1657
Mucorales, 1657
Microctonus hyperodae,
biological control, 273
Listronotus bonariensis, 273
Neotyphodium endophyte, 273
population dynamics, 273
microencapsulated pheromone,
mating disruption, 1280
Planococcus ficus, 1280
sex pheromone, 1280
vineyard, 1280
microsatellite, 155, 685, 1420
adaptation, 685
Ceratitis capitata, 1420
crop rotation, 685
migration, 155
pest management, 155
polyandry, 1420
population genetics, 685
resistance management, 155
western corn rootworm, 685
wild populations, 1420
migration,
microsatellite, 155
pest management, 155
resistance management, 155
Mimic,
Btk, 780
Eucalyptus, 780
spinosad, 780
Uraba lugens, 780
mobility,
codling moth, 699
diapause, 699
quality control, 699
sterile insect technique, 699
mode of action,
Cadra cautella, 593
essential oil, 593
natural fumigant, 593
natural insecticide, 593
model,
Bacillus thuringiensis, 1538
biological control, 1538
insecticides, 1538
IPM, 1538
modeling,
Bemisia tabaci, 1396
haplodiploid, 1396
pyriproxyfen, 1396
resistance management, 1396
molecular detection,
azaleas, 2136
biological control, 2136
fluorescence, 2136
Stephanitis pyrioides, 2136
molecular diagnosis,
Agromyzidae, 1268
lettuce, 1268
Liriomyza huidobrensis, 1268
PCR-RFLP, 1268
molecular identification,
Brassicaceae, 1310
Contarinia nasturtii, 1310
cruciferous vegetables, 1310
pheromone trap, 1310
molecular identification key,
exotic pests, 1813
Neohydatothrips, 1813
nondestructive DNA extraction, 1813
Scirtothrips, 1813
molecular monitoring,
Bacillus thuringiensis crops, 946
cadherin, 946
Pectinophora gossypiella, 946
resistance detection, 946
molecular screening,
Bacillus thuringiensis, 1525
resistance management, 1525
transgenic crops, 1525

monitoring,
dye, 822
IPM, 822
salivary enzyme, 822
southern green stink bug, 822
Monomorium orientale,
colony composition, 129
food distribution, 129
food type, 129
Moran's *I*,
epidemiology, 1936
geographic information system, 1936
glassy-winged sharpshooter, 1936
morphology,
alfalfa weevil, 2216
chaetotaxy, 2216
Hyperini, 2216
larva, 2216
morphometric comparison,
Dectes texanus texanus, 48
mating compatibility, 48
soybean, 48
sunflower, 48
mortality, 427, 476, 1509
development, 1509
digging behavior, 476
fecundity, 427
fertility, 427
fipronil, 476
fire ant, 476
Indianmeal moth, 1509
insect growth regulator, 1509
Lobesia botrana, 427
lufenuron, 427
Plodia interpunctella, 1509
mosquito netting,
cabbage, 450
insecticide treated net, 450
Plutella xylostella, 450
vegetable protection, 450
movement, 508, 1017
Bt, 508
control, 1017
diatomaceous earth, 1017
Epiphyas postvittana, 508
feeding, 508
Rhyzopertha dominica, 1017
toxins, 508
wheat, 1017
mRNA expression,
cytochrome P450, 1784
Helicoverpa armigera, 1784
pyrethroid, 1784
resistance, 1784
Mucorales,
acute activity, 1657
fungal extract, 1657
microbial pesticides, 1657
multiple resistance,
detoxifying enzymes, 954
pyridaben, 954
resistance mechanism, 954
Tetranychus urticae, 954
multiple toxins,
Bacillus thuringiensis, 2091
transgenic plants, 2091
two-locus, 2091
Musca domestica,
linkage map, 2087
mapping function, 2087
Pgm, 2087
recombination frequencies, 2087
Muscidae,
Alsynite, 1025
Coroplast, 1025
stable flies, 1025
sticky traps, 1025
Myzus persicae,
critical density, 987
pest management, 987
sampling statistics, 987
threshold, 987

N

natural enemy, 366, 1596, 2177
citrus mealybug, 1596
compatibility, 1596
Conocephalus chinensis, 366
Cucumis sativus, 2177
cucurbit borers, 2177
decision making, 2177
egg mortality, 366
insecticides, 1596
Leptocorisa chinensis, 366
pest management, 1596
natural fumigant, 593, 1733
Cadra cautella, 593
essential oil, 593
essential oils, 1733
mode of action, 593
natural insecticide, 593, 1733
Orius strigicollis, 1733
Thrips palmi, 1733
natural insecticide, 593, 1733
Cadra cautella, 593
essential oil, 593
essential oils, 1733
mode of action, 593
natural fumigant, 593, 1733
Orius strigicollis, 1733
Thrips palmi, 1733
neem aqueous extract,
Mahanarva fimbriolata, 2010
NeemAzal, 2010
Nimkol, 2010
sugarcane, 2010
NeemAzal,
Mahanarva fimbriolata, 2010
neem aqueous extract, 2010
Nimkol, 2010
sugarcane, 2010
Neohydatothrips,
exotic pests, 1813
molecular identification key, 1813
nondestructive DNA extraction, 1813
Scirtothrips, 1813
neonicotinoids, 141, 1805
glassy-winged sharpshooter, 1805
H. coagulata, 141
organophosphates, 141, 1805
petri dish bioassay, 141
pyrethroids, 1805
resistance management, 1805
systemic bioassay, 141
Neoseiulus californicus,
Acramite, 1291
Phytoseiulus persimilis, 1291
strawberry, 1291
twospotted spider mite, 1291
Neotyphodium endophyte,
biological control, 273
Listronotus bonariensis, 273
Microctonus hyperodae, 273
population dynamics, 273
nest location,
Ascosphaera aggregata, 626
color contrast, 626
Megachile rotundata, 626
three-dimensional, 626
nested analysis of variance,
Iwao's patchiness regression, 1890
Taylor's power law, 1890
net CO_2 assimilation,
Diaprepes abbreviatus, 811
stomatal conductance, 811
transpiration, 811
Nimkol,
Mahanarva fimbriolata, 2010
neem aqueous extract, 2010
NeemAzal, 2010
sugarcane, 2010
nitrogen content,
development, 1209
rice, 1209
root aphid, 1209
temperature, 1209
nitrogen fertilizer,
rice, 2030
rice water weevil, 2030
tolerance, 2030
Noctuidae, 797, 1605
(Z)-9-tetradecenol, 797
(Z)-9-tetradecenyl acetate, 797
Copitarsia decolora, 797, 1605
pathway analysis, 1605
risk assessment, 1605

sex pheromone, 797
nondestructive DNA extraction,
exotic pests, 1813
molecular identification key, 1813
Neohydatothrips, 1813
Scirtothrips, 1813
nonrepellent termiticides,
chlorfenapyr, 886
pyrroles, 886
Reticulitermes flavipes, 886
toxicant transfer, 886
nonstructural carbohydrates,
Blissus occiduus, 222
buffalograss, 222
carbon exchange rates, 222
fluorescence kinetics, 222
novel stick soak,
biorational insecticides, 102
Chrysomela scripta, 102
coccinellids, 102
imidacloprid, 102
noviflumuron,
Reticulitermes flavipes, 134
Sentricon Termite Colony Elimination System, 134
termite bait, 134
nucleopolyhedrovirus,
efficacy, 14
Orgyia pseudotsugata, 14
storage, 14
TM Biocontrol-1, 14
nutrient cycling,
dung decomposition, 2210
Scarabaeidae, 2210
nutritional stress,
annual honey production, 604
pollen substitute, 604
population growth, 604
spring management, 604
Nzi trap,
Broce trap, 1415
Olson trap, 1415
stable fly, 1415
traps, 1415

O

Odontotermes formosanus,
fipronil bait, 455
triple mark–capture, 455
Olea europaea,
Bactrocera oleae, 2072
California, 2072
oleander leaf scorch,
Homalodisca coagulata, 1058
Pierce's disease, 1058
olfactometer,
host odor, 1203
kairomone, 1203
Macrosiphum euphorbiae, 1203
Olson trap,
Broce trap, 1415
Nzi trap, 1415
stable fly, 1415
traps, 1415
onion,
Delia antiqua, 1375
insecticide resistance, 1375
onion maggot, 1375
onion maggot,
Delia antiqua, 1375
insecticide resistance, 1375
onion, 1375
onion thrips,
Allium cepa, 1798
insecticide resistance, 1798
oral toxicity,
residual toxicity, 648
southern green stink bug, 648
orange,
citrus, 421
Epiphyas postvittana, 421
pheromone, 421
organic pest management,
beneficial insect habitat, 641
biological control, 641
organic tomato production, 641
organic tomato production,
beneficial insect habitat, 641
biological control, 641
organic pest management, 641
organophosphate, 141, 1345, 1805
chloronicotinyl, 1345
glassy-winged sharpshooter, 1805
H. coagulata, 141
neonicotinoids, 141, 1805
petri dish bioassay, 141
pyrethroid, 1345, 1805
resistance management, 1805
systemic bioassay, 141
termiticides, 1345
Orgyia pseudotsugata,
efficacy, 14
nucleopolyhedrovirus, 14
storage, 14
TM Biocontrol-1, 14
oriental fruit moth, 349, 1176, 1299, 1610, 1620, 1705, 2048
apple, 349, 1176, 1299, 1620
CATTS, 1620
codling moth, 1610, 1620
commodity treatment, 1610
competitive attraction, 1705
emulsifiable wax, 1705
Grapholita molesta, 1705
larval feeding behavior, 349
mating disruption, 2048
oviposition behavior, 1176
oviposition preference, 349
peach, 1176, 1299
population dynamics, 349, 1176, 1299
quarantine, 1610, 1620
sprayable microencapsulated pheromone, 2048
stone fruit, 1610
survival, 1299
Orius insidiosus,
acaricide toxicity, 54
etoxazole, 54
propargite fenpropathrin, 54
Tetranychus urticae, 54
Orius strigicollis,
essential oils, 1733
natural fumigant, 1733
natural insecticide, 1733
Thrips palmi, 1733
Osmia lignaria,
Apis mellifera, 408
cherry pollination, 408
Prunus avium, 408
Ostrinia nubilalis, 194, 494, 502, 1768, 2002, 2100
baseline susceptibility, 1768
Bt corn, 1768
corn, 2002
Cry1Ab *Bacillus thuringiensis* susceptibility, 194
Diatraea grandiosella, 194
Diatraea saccharalis, 194
European corn borer, 1768
F_2 screen, 502
host plant resistance, 2100
inheritance, 494
pheromone traps, 2002
pyramided transgenic insecticidal plants, 2100
resistance, 494
resistance management, 502, 2100
simulation modeling, 2100
transgenic corn, 494, 502
weather, 2002
windbreaks, 2002
Oulema melanopus,
parasitoid, 1967
phenology, 1967
population dynamics, 1967
outbreak,
chlorpyrifos, 771
integrated pest management, 771
mating disruption, 771
overwinter,
Anthonomus grandis grandis, 1152
dispersal, 1152
food, 1152
habitats, 1152
oviposition,
citrus, 109
Diaprepes abbreviatus, 109

kaolin, 109
particle film, 109
oviposition behavior,
apple, 1176
oriental fruit moth, 1176
peach, 1176
population dynamics, 1176
oviposition preference,
apple, 349
larval feeding behavior, 349
oriental fruit moth, 349
population dynamics, 349
oxalic acid,
Apis mellifera, 1579
bioassay, 1579
LD_{50}, 1579
Varroa destructor, 1579
oxidative stress,
longevity, 1225
malathion, 1225
Pimpla turionellae, 1225
superoxide dismutase, 1225

P

packaging,
augmentation, 1080
Habrobracon, 1080
Trichogramma, 1080
Paecilomyces fumosoroseus,
Beauveria bassiana, 1943
horn fly, 1943
Metarhizium anisopliae, 1943
Pandora neoaphidis,
biological control, 23
kaolin, 23
particle films, 23
pea aphid, 23
Panonychus,
amensalism, 678
Amphitetranychus, 678
fruit tree, 678
Tetranychus, 678
parameter uncertainty,
corn rootworm, 483
Diabrotica virgifera virgifera, 483
Insecticide resistance, 483
sensitivity analysis, 483
parasite,
Apis mellifera capensis, 7
beekeeping industry, 7
honey bee, 7
recommendations, 7
parasitoid, 295, 1967
Argentina, 295
biological control, 295
biotype, 295
body size, 295
Oulema melanopus, 1967
phenology, 1967
population dynamics, 1967
particle film,
citrus, 109
Diaprepes abbreviatus, 109
kaolin, 109
oviposition, 109
particle films,
biological control, 23
kaolin, 23
Pandora neoaphidis, 23
pea aphid, 23
passenger bridge,
airflow, 182
biting insects, 182
disease vectors, 182
exclusion, 182
passive contact,
active contact, 634
digging behavior, 634
red imported fire ant, 634
worker mortality, 634
pathway analysis,
Copitarsia decolora, 1605
Noctuidae, 1605
risk assessment, 1605
PCR,
fire ants, 313
identification, 313
quarantine, 313
scanning electron microscopy, 313
PCR-RFLP,
Agromyzidae, 1268
lettuce, 1268
Liriomyza huidobrensis, 1268
molecular diagnosis, 1268
pea aphid,
biological control, 23
kaolin, 23
Pandora neoaphidis, 23
particle films, 23
peach, 1176, 1299
apple, 1176, 1299
Oriental fruit moth, 1176, 1299
oviposition behavior, 1176
population dynamics, 1176, 1299
survival, 1299
Pectinophora gossypiella, 920, 946, 1925, 2125
Bacillus thuringiensis, 1925, 2125
Bacillus thuringiensis crops, 946
biological control, 920
cadherin, 946
fitness cost, 920
fitness costs, 1925
genetically modified crops, 1925, 2125
genetics, 2125
molecular monitoring, 946
resistance, 1925, 2125
resistance detection, 946
resistance management, 920
Steinernema riobrave, 920
permethrin,
acephate, 393
bifenthrin, 393
carbaryl, 393
dinotefuran, 393
pest management, 155, 764, 987, 1184, 1596
acephate, 764
Anastrepha ludens, 1184
citrus mealybug, 1596
Citrus paradisi, 1184
compatibility, 1596
critical density, 987
Frankliniella fusca, 764
gibberellic acid, 1184
imidacloprid, 764
insecticides, 1596
microsatellite, 155
migration, 155
Myzus persicae, 987
natural enemies, 1596
resistance management, 155
sampling statistics, 987
threshold, 987
tospovirus, 764
trap crops, 1184
pesticides,
honey bees, 253
pollen loads, 253
pollution, 253
petri dish bioassay,
H. coagulata, 141
neonicotinoids, 141
organophosphates, 141
systemic bioassay, 141
Pgm,
linkage map, 2087
mapping function, 2087
Musca domestica, 2087
recombination frequencies, 2087
phenology,
Oulema melanopus, 1967
parasitoid, 1967
population dynamics, 1967
pheromone, 323, 373, 421, 1675
Anthonomus grandis, 1675
Anthonomus grandis grandis, 323
bark beetle management, 373
boll weevil, 323, 1675
citrus, 421
Epiphyas postvittana, 421
funnel traps, 373
grandlure, 1675
orange, 421
semiochemicals, 3733
trapping, 323, 1675

pheromone trap, 1310, 2002
Brassicaceae, 1310
Contarinia nasturtii, 1310
corn, 2002
cruciferous vegetables, 1310
molecular identification, 1310
Ostrinia nubilalis, 2002
weather, 2002
windbreaks, 2002
pheromone trapping,
Anthonomus grandis grandis, 752
boll weevil, 752
Phyllotreta cruciferae,
Brassica rapa, 803
crop protection, 803
Phyllotreta striolata, 803
sampling, 803
Phyllotreta striolata,
Brassica rapa, 803
crop protection, 803
Phyllotreta cruciferae, 803
sampling, 803
physical control,
diatomaceous earth, 1899
insect strain, 1899
stored wheat, 1899
Tribolium confusum, 1899
physiological fitness,
insect resistance monitoring, 937
susceptibility, 937
Trichoplusia ni, 937
phytoplasma,
Matsumuratettix hiroglyphicus, 1531
sugarcane white leaf disease, 1531
transmission, 1531
Yamatotettix flavovittatus, 1531
phytosanitary treatment, 32, 1138, 1974
coconut scale, 1138
Pseudaulacaspis pentagona, 1974
quarantine pest, 32, 1138, 1974
x-ray, 1138, 1974
x-ray irradiation, 32
Phytoseiulus persimilis, 1291, 2015
acaricidal activity, 2015
Acramite, 1291
EcoTrol, 2015
Neoseiulus californicus, 1291
rosemary oil, 2015
strawberry, 1291
Tetranychus urticae, 2015
twospotted spider mite, 1291
Picea,
bifenthrin, 1691
carbaryl, 1691
Dendroctonus, 1691
Pinus, 1691
Pierce's disease,
Homalodisca coagulata, 1058
oleander leaf scorch, 1058
Pimpla turionellae,
longevity, 1225
malathion, 1225
oxidative stress, 1225
superoxide dismutase, 1225
Pinus,
bifenthrin, 1691
carbaryl, 1691
Dendroctonus, 1691
Picea, 1691
Planococcus citri,
binomial sampling, 993
enumerative sampling, 993
Taylor's power law, 993
Planococcus ficus,
mating disruption, 1280
microencapsulated pheromone, 1280
sex pheromone, 1280
vineyard, 1280
plant biomass,
aphid biomass, 551
chlorosis, 551
plant density,
canola, 1665
Delia spp., 1665
fall seeding, 1665
root maggots, 1665
plant essential oils,
fumigant, 1717
Lycoriella ingenua, 1717
pulegone, 1717
Schizonepeta tenuifolia, 1717
plant performance,
biocontrol, 432
fourlined plant bug, 432
jumping spider, 432
plant resistance, 203, 212, 850, 959, 972, 1483, 1820, 1862, 1867, 1877, 2151, 2164
Agrotis ipsilon, 850
Aphis gossypii, 1820
bioassay, 972
biotype, 959, 1862
Blissus, 203, 212
breeding, 972
cereal pest, 2151
chinch bug, 203, 212
corn earworm, 2164
cotton aphid, 1820
cotton cultivar, 1820
cultivar, 972
Cylas, 1877
Diabrotica, 1877
Diatraea saccharalis, 1867
Diuraphis noxia, 1862
Empoasca fabae, 1483
Eoreuma loftini, 1867
genetic resistance, 2151
genetically modified, 2164
glandular trichomes, 1483
Helicoverpa zea, 2164
host race, 2151
Ipomoea, 1877
Kentucky bluegrass, 850
life table, 1820
resistance screen, 972
rice, 1867
Russian wheat aphid, 2151
Schizaphis graminum, 959
Solanum berthaultii, 1483
sorghum, 203, 212
Sorghum bicolor, 959
Triticum aestivum, 959, 1862
turfgrass, 203, 212
white grub, 1877
whitehead, 1867
Zea mays, 2164
plant stage,
intrinsic rate of increase, 60
soybean, 60
soybean aphid, 60
Plant-Incorporated-Protectant,
Bacillus thuringiensis, 1835, 1835
transgenic cotton, 1835
plant–insect–chemistry triad,
apple, 2055
Conotrachelus nenuphar, 2055
residue profile, 2055
sublethal effects, 2055
Plectrodera scalator,
Anoplophora glabripennis, 85
azadirachtin, 85
Cerambycidae, 85
imidacloprid, 85
insecticides, 85
Plodia interpunctella, 1007, 1509
development, 1509
Indianmeal moth, 1509
insect growth regulator, 1007, 1509
mortality, 1509
population dynamics, 1007
surface treatment, 1007
plum curculio,
Conotrachelus nenuphar, 2065
flight mill, 2065
insect flight, 2065
Plutella xylostella, 176, 450, 914, 1388
avoidance, 1388
cabbage, 450
emamectin benzoate, 176
fipronil, 914
GABA receptor, 914
genetic correlation, 1388
heritability, 1388
indoxacarb, 176
insecticide resistance, 914
insecticide treated net, 450

mosquito netting, 450
pyrethroids, 1388
Rdl, 914
resistance, 176
spinosad, 176
vegetable protection, 450
pollen foraging,
Bombus terrestris, 1571
greenhouse, 1571
ideal free distribution theory, 1571
Lycopersicum esculentum, 1571
pollen loads,
honey bees, 253
pesticides, 253
pollution, 253
pollen substitute,
annual honey production, 604
nutritional stress, 604
population growth, 604
spring management, 604
pollination, 437, 443, 614, 1565
Amegilla, 437
Apis mellifera, 1565
bluebanded bee, 437
Bombus impatiens, 443
bumble bee, 443
bumble bees, 614
cranberries, 614
foraging behavior, 1565
honey bees, 614
lowbush blueberry production, 443
Lycopersicon, 437
Prunus dulcis, 1565
tomato, 437
Vaccinium angustifolium, 443
pollution,
honey bees, 253
pesticides, 253
pollen loads, 253
polyandry,
Ceratitis capitata, 1420
microsatellites, 1420
wild populations, 1420
population dynamics, 273, 349, 1007, 1176, 1299, 1774, 1967
apple, 349, 1176, 1299
biological control, 273
Daktulosphaira vitifoliae, 1774
degree-days, 1774
grape phylloxera, 1774
insect growth regulator, 1007
larval feeding behavior, 349
Listronotus bonariensis, 273
Microctonus hyperodae, 273
Neotyphodium endophyte, 273
Oriental fruit moth, 349, 1176, 1299
Oulema melanopus, 1967
oviposition behavior, 1176
oviposition preference, 349
parasitoid, 1967
peach, 1176, 1299
phenology, 1967
Plodia interpunctella, 1007
surface treatment, 1007
survival, 1299
population genetics,
adaptation, 685
crop rotation, 685
microsatellite, 685
western corn rootworm, 685
population growth,
annual honey production, 604
nutritional stress, 604
pollen substitute, 604
spring management, 604
potato,
integrated pest management, 1245
mating disruption, 1245
sex pheromone, 1245
Tecia solanivora, 1245
potato leafhopper, 537, 1235
alfalfa, 537
alfalfa weevil, 1235
dry matter yield, 1235
Empoasca fabae, 537
forage quality, 1235
glandular trichomes, 537
glandular-haired alfalfa, 1235
Medicago sativa, 537
potato purple top disease,
BLTVA phytoplasma, 268
Circulifer tenellus, 268
insect vector, 268
precision, 568, 2171
broccoli, 2171
catch efficiency, 568
cost reliability, 568
diamondback moth, 2171
dispersion pattern, 568
fixed sample size, 2171
sampling, 2171
sampling plan, 568
predator,
Asopinae, 401
biological control, 401
Heteroptera, 401
life tables, 401
processed meat,
toxic baiting, 263
Vespula germanica, 263
propargite fenpropathrin,
acaricide toxicity, 54
etoxazole, 54
Orius insidiosus, 54
Tetranychus urticae, 54
proportional plant dry weight loss,
antibiosis, 1854
Diuraphis noxia, 1854
insect resistance categories, 1854
tolerance index, 1854
Prosapia bicincta,
biological control, 1583
Megacephala carolina carolina, 1583
Spodoptera frugiperda, 1583
turfgrass, 1583
protein bait,
ammonium acetate, 1316
cherry fruit fly, 1316
fruit flies, 1316
reduced-risk insecticide, 1316
Prunus avium, 408, 658
Apis mellifera, 408
cherry pollination, 408
controlled atmosphere, 658
heat treatment, 658
Osmia lignaria, 408
quarantine, 658
Rhagoletis indifferens, 658
Prunus dulcis,
Apis mellifera, 1565
foraging behavior, 1565
pollination, 1565
Pseudaulacaspis pentagona,
phytosanitary treatment, 1974
quarantine pest, 1974
x-ray, 1974
public housing,
Blattella germanica, 879
integrated pest management, 879
pulegone,
fumigant, 1717
Lycoriella ingenua, 1717
plant essential oils, 1717
Schizonepeta tenuifolia, 1717
pyramided transgenic insecticidal plants,
host plant resistance, 2100
Ostrinia nubilalis, 2100
resistance management, 2100
simulation modeling, 2100
pyrethroid, 908, 1345, 1388, 1784, 1805, 2080
avoidance, 1388
broiler house, 908
chlorfenapyr, 2080
chloronicotinyl, 1345
Cimex lectularius, 2080
cytochrome P450, 1784
genetic correlation, 1388
glassy-winged sharpshooter, 1805
Helicoverpa armigera, 1784
heritability, 1388
insecticide resistance testing, 908
lesser mealworm, 908
mRNA expression, 1784

neonicotinoids, 1805
organophosphate, 1345, 1805
Plutella xylostella, 1388
repellency, 2080
resistance, 1784
resistance management, 1805
termiticides, 1345
pyridaben,
detoxifying enzymes, 954
multiple resistance, 954
resistance mechanism, 954
Tetranychus urticae, 954
pyriproxyfen, 733, 1396
Bemisia tabaci, 1396
buprofezin, 733
California red scale, 733
citricola scale, 733
cottony cushion scale, 733
haplodiploid, 1396
modeling, 1396
resistance management, 1396
pyrroles,
chlorfenapyr, 886
nonrepellent termiticides, 886
Reticulitermes flavipes, 886
toxicant transfer, 886

Q

quality control, 699, 707, 1979
Anastrepha, 1979
codling moth, 699, 707
diapause, 699
Diptera, 1979
locomotor activity, 707
mobility, 699
sexual compatibility, 1979
sterile insect technique, 699
temperature, 707
Tephritidae, 1979
quarantine, 38, 313, 658, 664, 1610, 1620, 1628
Anoplophora glabripennis, 664
apple, 1620
atmospheric pressure plasma, 38
CATTS, 1620
codling moth, 1610, 1620
commodity treatment, 1610
controlled atmosphere, 658
dielectric barrier discharge, 38
fire ants, 313
fumigation, 664, 1628
heat treatment, 658
identification, 313
insect control, 38
methyl bromide, 664
oriental fruit moth, 1610, 1620
PCR, 313
Prunus avium, 658
regulated wood packing materials, 664
Rhagoletis indifferens, 658
scanning electron microscopy, 313
stone fruit, 1610
sulfuryl fluoride, 1628
quarantine pest, 32, 1138, 1974
coconut scale, 1138
phytosanitary treatment, 32, 1138, 1974
Pseudaulacaspis pentagona, 1974
x-ray, 1138, 1974
x-ray irradiation, 32

R

R. dominica isoamylases,
amylase inhibitors, 2146
wheat resistance, 2146
RAPD markers,
fall armyworm, 519
host plant, 519
resistance management, 519
Rdl,
fipronil, 914
GABA receptor, 914
insecticide resistance, 914
Plutella xylostella, 914
recombination frequencies,
linkage map, 2087
mapping function, 2087
Musca domestica, 2087
Pgm, 2087
recommendations,
Apis mellifera capensis, 7
beekeeping industry, 7
honey bee, 7
parasite, 7
red imported fire ant, 634, 1739
active contact, 634
bait, 1739
chemical control, 1739
delayed toxicity, 1739
digging behavior, 634
passive contact, 634
Solenopsis invicta, 1739
worker mortality, 634
reduced-risk insecticide,
ammonium acetate, 1316
cherry fruit fly, 1316
fruit flies, 1316
protein bait, 1316
regulated wood packing materials,
Anoplophora glabripennis, 664
fumigation, 664
methyl bromide, 664
quarantine, 664
release–recapture,
insect dispersal, 2110
resistance management, 2110
remote sensing,
greenbug, 1682
spectral signatures, 1682
vegetation indices, 1682
wheat, 1682
repellency,
chlorfenapyr, 2080
Cimex lectularius, 2080
pyrethroids, 2080
repellent,
Argentine ant, 1757
insecticide, 1757
management, 1757
trap-mulch, 1757
reproduction, 544, 834, 1214
biotype 2, 544
development, 544, 1214
Diuraphis noxia, 544, 1214
insect growth regulator, 834
leafroller, 834
sublethal effects, 834
survival, 1214
tebufenozide, 834
temperature, 1214
Triticum aesticum, 544
reproductive effects,
biological control, 1955
fecundity, 1955
fertility, 1955
sublethal effects, 1955
residual activity,
Beauveria bassiana, 1120
direct spray contact, 1120
Trichoplusia ni, 1120
residual toxicity,
oral toxicity, 648
southern green stink bug, 648
residue,
termiticide, 469
toxicity, 469
residue profile,
apple, 2055
Conotrachelus nenuphar, 2055
plant–insect–chemistry triad, 2055
sublethal effects, 2055
resistance, 176, 494, 1784, 1925, 2125
Bacillus thuringiensis, 1925, 2125
cytochrome P450, 1784
emamectin benzoate, 176
fitness costs, 1925
genetically modified crops, 1925, 2125
genetics, 2125
Helicoverpa armigera, 1784
indoxacarb, 176
inheritance, 494
mRNA expression, 1784
Ostrinia nubilalis, 494
Pectinophora gossypiella, 1925, 2125
Plutella xylostella, 176
pyrethroid, 1784

spinosad, 176
transgenic corn, 494
resistance categories,
host plant resistance, 1446
Stenotaphrum secundatum, 1446
resistance detection,
Bacillus thuringiensis crops, 946
cadherin, 946
molecular monitoring, 946
Pectinophora gossypiella, 946
resistance management, 155, 502, 519, 893, 920, 1381, 1396, 1525, 1790, 1805, 2100, 2110
Bacillus thuringiensis, 1381, 1525, 1790
Bemisia tabaci, 1396
biological control, 920
bollworm, 1790
Cry1Ac, 893
Cry34/Cry35Ab1, 1381
Diabrotica virgifera virgifera, 1381
F_2 screen, 502
fall armyworm, 519
fitness cost, 920
glassy-winged sharpshooter, 1805
haplodiploid, 1396
Helicoverpa armigera, 893
host plant, 519
host plant resistance, 2100
insect dispersal, 2110
insecticidal traits, 1381
microsatellite, 155
migration, 155
modeling, 1396
molecular screening, 1525
neonicotinoids, 1805
organophosphates, 1805
Ostrinia nubilalis, 502, 2100
Pectinophora gossypiella, 920
pest management, 155
pyramided transgenic insecticidal plants, 2100
pyrethroids, 1805
pyriproxyfen, 1396
RAPD markers, 519
release–recapture, 2110
resistance monitoring, 1790
simulation modeling, 2100
Steinernema riobrave, 920
transgenic corn, 502
transgenic crops, 1525
resistance mechanism,
detoxifying enzymes, 954
multiple resistance, 954
pyridaben, 954
Tetranychus urticae, 954
resistance monitoring, 1790, 2024
Bacillus thuringiensis, 1790
bollworm, 1790
Cylas formicarius, 2024
insecticide susceptibility, 2024
Ipomoea batatas, 2024
resistance management, 1790
resistance screen,
bioassay, 972
breeding, 972
cultivar, 972
plant resistance, 972
resmethrin,
acoustic emissions, 1354
drywood termite, 1354
sodium borate, 1354
spinosad, 1354
restriction fragment length polymorphism,
cotton, 671
Spodoptera frugiperda, 671
Reticulitermes, 873, 1112
biological molecules, 873
body water, 873
Gnathamitermes, 1112
Heterorhabditis, 1112
Heterotermes, 1112
Steinernema, 1112
uric acid, 873
vigor, 873
Reticulitermes flavipes, 134, 462, 886
alarm, 462
behavior, 462
chlorfenapyr, 886
disturbance, 462
Isoptera, 462
nonrepellent termiticides, 886
noviflumuron, 134
pyrroles, 886
Sentricon Termite Colony Elimination System, 134
termite bait, 134
toxicant transfer, 886
Reticulitermes hesperus,
chlorfenapyr, 864
insecticide transfer, 864
soil insecticide, 864
Reticulitermes speratus,
cellulase gene, 123
Coptotermes formosanus, 123
identification, 123
subterranean termite, 123
reverse Northern,
suppression subtractive hybridization, 1430
wheat–aphid interaction, 1430
Rhagoletis indifferens, 658, 1722
control, 1722
controlled atmosphere, 658
heat treatment, 658
imidacloprid, 1722
Prunus avium, 658
quarantine, 658
spinosad, 1722
thiacloprid, 1722
Rhyzopertha dominica, 1017, 1826, 1912
bioassays, 1826
comet assay, 1912
control, 1017
diatomaceous earth, 1017
DNA damage, 1912
gamma radiation, 1912
hard red spring wheat, 1826
Indianmeal moth, 1826
movement, 1017
sequential feeding, 1826
soft-electron beam, 1912
wheat, 1017
rice, 1209, 1867, 2030
development, 1209
Diatraea saccharalis, 1867
Eoreuma loftini, 1867
nitrogen content, 1209
nitrogen fertilizer, 2030
plant resistance, 1867
rice water weevil, 2030
root aphid, 1209
temperature, 1209
tolerance, 2030
whitehead, 1867
rice water weevil,
nitrogen fertilizer, 2030
rice, 2030
tolerance, 2030
risk assessment,
Copitarsia decolora, 1605
Noctuidae, 1605
pathway analysis, 1605
root aphid,
development, 1209
nitrogen content, 1209
rice, 1209
temperature, 1209
root maggots,
canola, 1665
Delia spp., 1665
fall seeding, 1665
plant density, 1665
rosemary oil,
acaricidal activity, 2015
EcoTrol, 2015
Phytoseiulus persimilis, 2015
Tetranychus urticae, 2015
Russian wheat aphid,
cereal pest, 2151
genetic resistance, 2151
host race, 2151
plant resistance, 2151
rye,
barley, 1905
diatomaceous earth, 1905
Ephestia kuehniella, 1905

wheat, 1905
ryegrass,
alkaloid, 1462
armyworm, 1462
fescue, 1462
insect resistance, 1462

S

S. chacoense,
avidin, 527
Bt-Cry3A, 527
host plant resistance, 527
leptine, 527
SADIE,
competition, 2191
Ephestia kuehniella, 2191
Haribobracon hebetor, 2191
Venturia canescens, 2191
salivary enzyme,
dye, 822
IPM, 822
monitoring, 822
southern green stink bug, 822
sampling, 331, 583, 803, 899, 2171
Bemisia tabaci, 331
Brassica rapa, 803
broccoli, 2171
computed tomography, 583
crop protection, 803
diamondback moth, 2171
economic thresholds, 899
fixed sample size, 2171
insect-damaged kernels, 583
internal infestation, 583
IPM, 899
Phyllotreta cruciferae, 803
Phyllotreta striolata, 803
precision, 2171
stored-product insects, 583
tomato, 331
transgenic crops, 899
Trialeurodes vaporariorum, 331
western corn rootworm, 899
within-plant distribution, 331
sampling plan,
catch efficiency, 568
cost reliability, 568
dispersion pattern, 568
precision, 568
sampling statistics,
critical density, 987
Myzus persicae, 987
pest management, 987
threshold, 987
scanning electron microscopy,
fire ants, 313
identification, 313
PCR, 313
quarantine, 313
Scapteriscus borellii,
Beauveria bassiana, 1948
diatomaceous earth, 1948
imidacloprid, 1948
synergy, 1948
Scarabaeidae,
dung decomposition, 2210
nutrient cycling, 2210
Schizaphis graminum,
biotype, 959
plant resistance, 959
Sorghum bicolor, 959
Triticum aestivum, 959
Schizonepeta tenuifolia,
fumigant, 1717
Lycoriella ingenua, 1717
plant essential oils, 1717
pulegone, 1717
Scirtothrips,
exotic pests, 1813
molecular identification key, 1813
Neohydatothrips, 1813
nondestructive DNA extraction, 1813
selection,
cross-resistance, 931
insecticide resistance, 931
spinosad, 931
semiochemicals, 373, 1550
bark beetle management, 373
eradication, 1550
funnel traps, 373
integrated pest management, 1550
mass trapping, 1550
pheromones, 373
sensitivity analysis,
corn rootworm, 483
Diabrotica virgifera virgifera, 483
Insecticide resistance, 483
parameter uncertainty, 483
Sentricon Termite Colony Elimination System,
noviflumuron, 134
Reticulitermes flavipes, 134
termite bait, 134
sequential feeding,
bioassays, 1826
hard red spring wheat, 1826
Indianmeal moth, 1826
Rhyzopertha dominica, 1826
sequential sampling, 76, 1500
Adelges tsugae, 1500
corn, 76
critical density, 76
economic threshold, 76
European chafer, 76
individual trees, 1500
Tsuga canadensis, 1500
sex pheromone, 797, 1245, 1280
(Z)-9-tetradecenol, 797
(Z)-9-tetradecenyl acetate, 797
Copitarsia decolora, 797
integrated pest management, 1245
mating disruption, 1245, 1280
microencapsulated pheromone, 1280
Noctuidae, 797
Planococcus ficus, 1280
potato, 1245
Tecia solanivora, 1245
vineyard, 1280
sexual compatibility,
Anastrepha, 1979
Diptera, 1979
quality control, 1979
Tephritidae, 1979
SilicoSec,
diatomaceous earth, 1520
Ephestia kuehniella, 1520
inert dusts, 1520
stored wheat, 1520
simulation model,
Diabrotica virgifera virgifera, 1407
insect resistance management, 1407
simulation modeling,
host plant resistance, 2100
Ostrinia nubilalis, 2100
pyramided transgenic insecticidal plants, 2100
resistance management, 2100
single-tree protection,
southern pine engraver beetle, 94
systemic insecticide, 94
sludge,
adjuvants, 1065
Bacillus thuringiensis, 1065
formulations, 1065
wastewater, 1065
sodium borate,
acoustic emissions, 1354
drywood termite, 1354
resmethrin, 1354
spinosad, 1354
sodium dodecyl sulfate-polyacrylamide gel electrophoresis,
bread-making quality, 757
high-performance liquid chromatography, 757
sunn pest, 757
Triticum aestivum, 757
soft-electron beam,
comet assay, 1912
DNA damage, 1912
gamma radiation, 1912
Rhyzopertha dominica, 1912
soil insecticide,
chlorfenapyr, 864
insecticide transfer, 864

Reticulitermes hesperus, 864
soil insects,
accelerometer, 244
acoustics, 244
geophone, 244
stridulation, 244
Solanum berthaultii,
Empoasca fabae, 1483
glandular trichomes, 1483
plant resistance, 1483
Solenopsis invicta, 621, 1711, 1739
bait, 621, 1739
Calosoma sayi, 1711
chemical control, 1739
delayed toxicity, 1739
fire ants, 621
Geocoris uliginosus, 1711
insect growth regualtor, 621
Lycosa sp., 1711
Megacephala carolina carolina, 1711
methoprene, 621
red imported fire ant, 1739
sorghum, 203, 212
Blissus, 203, 212
chinch bug, 203, 212
plant resistance, 203, 212
turfgrass, 203, 212
Sorghum bicolor,
biotype, 959
plant resistance, 959
Schizaphis graminum, 959
Triticum aestivum, 959
southern green stink bug, 648, 822
dye, 822
IPM, 822
monitoring, 822
oral toxicity, 648
residual toxicity, 648
salivary enzyme, 822
southern pine engraver beetle,
single-tree protection, 94
systemic insecticide, 94
soybean, 48, 60
Dectes texanus texanus, 48
intrinsic rate of increase, 60
mating compatibility, 48
morphometric comparison, 48
plant stage, 60
soybean aphid, 60
sunflower, 48
soybean aphid,
intrinsic rate of increase, 60
plant stage, 60
soybean, 60
spectral signatures,
greenbug, 1682
remote sensing, 1682
vegetation indices, 1682
wheat, 1682
spider mites,
Acari, 843
acaricide, 843
SpinTor, 843
spinosad, 176, 780, 931, 1161, 1354, 1722
acoustic emissions, 1354
Bactrocera cucurbitae, 1161
Bactrocera dorsalis, 1161
bait spray, 1161
Btk, 780
control, 1722
cross-resistance, 931
drywood termite, 1354
emamectin benzoate, 176
Eucalyptus, 780
imidacloprid, 1722
indoxacarb, 176
insecticide resistance, 931
Mimic, 780
Plutella xylostella, 176
resistance, 176
resmethrin, 1354
Rhagoletis indifferens, 1722
selection, 931
sodium borate, 1354
thiacloprid, 1722
Uraba lugens, 780
SpinTor,
Acari, 843
acaricide, 843
spider mites, 843
Spodoptera frugiperda, 671, 1583
biological control, 1583
cotton, 671
Megacephala carolina carolina, 1583
Prosapia bicincta, 1583
restriction fragment length polymorphism, 671
turfgrass, 1583
sprayable microencapsulated pheromone,
mating disruption, 2048
oriental fruit moth, 2048
spring management,
annual honey production, 604
nutritional stress, 604
pollen substitute, 604
population growth, 604
spruce budworm,
antagonism, 2038
Btk toxin, 2038
tannins, 2038
transgenic white spruce, 2038
stable fly, 1025, 1415
Alsynite, 1025
Broce trap, 1415
Coroplast, 1025
Muscidae, 1025
Nzi trap, 1415
Olson trap, 1415
sticky traps, 1025
traps, 1415
Steinernema,
Gnathamitermes, 1112
Heterorhabditis, 1112
Heterotermes, 1112
Reticulitermes, 1112
Steinernema riobrave,
biological control, 920
fitness cost, 920
Pectinophora gossypiella, 920
resistance management, 920
Stenotaphrum secundatum,
host plant resistance, 1446
resistance categories, 1446
Stephanitis pyrioides,
azaleas, 2136
biological control, 2136
fluorescence, 2136
molecular detection, 2136
sterile insect technique, 699, 1168
biological control, 1168
codling moth, 699
diapause, 699
Diglyphus isaea, 1168
integrated pest management, 1168
mobility, 699
quality control, 699
synergistic interaction, 1168
sticky traps,
Alsynite, 1025
Coroplast, 1025
Muscidae, 1025
stable flies, 1025
stomatal conductance,
Diaprepes abbreviatus, 811
net CO_2 assimilation, 811
transpiration, 811
stone fruit,
codling moth, 1610
commodity treatment, 1610
oriental fruit moth, 1610
quarantine, 1610
storage,
efficacy, 14
nucleopolyhedrovirus, 14
Orgyia pseudotsugata, 14
TM Biocontrol-1, 14
stored products, 237, 2202
biological control, 237, 2202
habitat complexity, 2202
life tables, 237
Venturia canescens, 237
stored wheat, 229, 1520, 1899
Cheyletus malaccensis, 229
diatomaceous earth, 229, 1520, 1899
Ephestia kuehniella, 1520
inert dusts, 1520
insect strain, 1899
physical control, 1899

SilicoSec, 1520
Tribolium confusum, 1899
Tyrophagus putrescentiae, 229
stored-product insects,
computed tomography, 583
insect-damaged kernels, 583
internal infestation, 583
sampling, 583
strawberry,
Acramite, 1291
Neoseiulus californicus, 1291
Phytoseiulus persimilis, 1291
twospotted spider mite, 1291
stridulation,
accelerometer, 244
acoustics, 244
geophone, 244
soil insects, 244
sublethal effects, 834, 1955, 2055
apple, 2055
biological control, 1955
Conotrachelus nenuphar, 2055
fecundity, 1955
fertility, 1955
insect growth regulator, 834
leafroller, 834
plant–insect–chemistry triad, 2055
reproduction, 834
reproductive effects, 1955
residue profile, 2055
tebufenozide, 834
subterranean termite, 123, 1749
aboveground use, 1749
Australia, 1749
borate, 1749
cellulase gene, 123
Coptotermes acinaciformis, 1749
Coptotermes formosanus, 123
identification, 123
Reticulitermes speratus, 123
sugarcane,
Mahanarva fimbriolata, 2010
neem aqueous extract, 2010
NeemAzal, 2010
Nimkol, 2010
sugarcane white leaf disease,
Matsumuratettix hiroglyphicus, 1531
phytoplasma, 1531
transmission, 1531
Yamatotettix flavovittatus, 1531
sulfuryl fluoride,
fumigation, 1628
quarantine, 1628
sunflower,
Dectes texanus texanus, 48
mating compatibility, 48
morphometric comparison, 48
soybean, 48
sunn pest,
bread-making quality, 757
high-performance liquid chromatography, 757
sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 757
Triticum aestivum, 757
superoxide dismutase,
longevity, 1225
malathion, 1225
oxidative stress, 1225
Pimpla turionellae, 1225
suppression subtractive hybridization,
reverse Northern, 1430
wheat–aphid interaction, 1430
surface treatment,
insect growth regulator, 1007
Plodia interpunctella, 1007
population dynamics, 1007
survival, 927, 1214, 1299, 1321
apple, 1299
behavior, 927
citrus, 1321
Cry3Bb1, 927
development, 1214, 1321
Diuraphis noxia, 1214
Epiphyas postvittana, 1321
Oriental fruit moth, 1299
peach, 1299
population dynamics, 1299
reproduction, 1214
temperature, 1214
transgenics, 927
western corn rootworm, 927
survival analysis,
density estimates, 1051
dispersal, 1051
glassy-winged sharpshooter, 1051
Lincoln index, 1051
susceptibility, 937, 1096, 1369
Agrilus planipennis, 1096
Aphis pomi, 1369
Aphis spiraecola, 1369
bioassay, 1096
entomopathogenic fungi, 1096
insect resistance monitoring, 937
insecticides, 1369
microbial control, 1096
physiological fitness, 937
toxicity, 1369
Trichoplusia ni, 937
synergistic interaction,
biological control, 1168
Diglyphus isaea, 1168
integrated pest management, 1168
sterile insect technique, 1168
synergy,
Beauveria bassiana, 1948
diatomaceous earth, 1948
imidacloprid, 1948
Scapteriscus borellii, 1948
systemic,
Adelges tsugae, 1258
insecticide, 1258
systemic bioassay,
H. coagulata, 141
neonicotinoids, 141
organophosphates, 141
petri dish bioassay, 141
systemic effects,
compensatory growth, 1842
gall, 1842
growth inhibition, 1842
Mayetiola destructor, 1842
systemic insecticide,
single-tree protection, 94
southern pine engraver beetle, 94

T

tablet formulation,
Aedes aegypti, 1590
Bacillus thuringiensis serovar *israelensis*, 1590
biological control, 1590
tannins,
antagonism, 2038
Btk toxin, 2038
spruce budworm, 2038
transgenic white spruce, 2038
Taylor's power law, 559, 578, 993, 1490, 1890
binomial distribution, 1490
binomial sampling, 993, 1490
classification sequential sampling, 559
enumerative sampling, 993, 1490
field sampling, 578
fixed precision sequential sampling, 559
grape, 578
Iwao's patchiness regression, 1890
leafhopper, 578
nested analysis of variance, 1890
Planococcus citri, 993
Tetranychus urticae, 1490
vector, 578
tebufenozide,
insect growth regulator, 834
leafroller, 834
reproduction, 834
sublethal effects, 834
Tecia solanivora,
integrated pest management, 1245

mating disruption, 1245
potato, 1245
sex pheromone, 1245
temperature, 691, 707, 1209, 1214
Bemisia argentifolii, 691
codling moth, 707
development, 1209, 1214
Diuraphis noxia, 1214
life table, 691
locomotor activity, 707
nitrogen content, 1209
quality control, 707
reproduction, 1214
rice, 1209
root aphid, 1209
survival, 1214
Tephritidae,
Anastrepha, 1979
Diptera, 1979
quality control, 1979
sexual compatibility, 1979
termite bait,
noviflumuron, 134
Reticulitermes flavipes, 134
Sentricon Termite Colony Elimination System, 134
termiticide, 469, 1345
chloronicotinyl, 1345
organophosphate, 1345
pyrethroid, 1345
residue, 469
toxicity, 469
Tetranychus,
amensalism, 678
Amphitetranychus, 678
fruit tree, 678
Panonychus, 678
Tetranychus cinnabarinus,
acaricidal activity, 858
Kochia scoparia, 858
Tetranychus urticae, 858
Tetranychus viennensis, 858
Tetranychus urticae, 54, 858, 954, 1490, 2015
acaricidal activity, 858, 2015
acaricide toxicity, 54
binomial distribution, 1490
binomial sampling, 1490
detoxifying enzymes, 954
EcoTrol, 2015
enumerative sampling, 1490
etoxazole, 54
Kochia scoparia, 858
multiple resistance, 954
Orius insidiosus, 54
Phytoseiulus persimilis, 2015
propargite fenpropathrin, 54
pyridaben, 954
resistance mechanism, 954
rosemary oil, 2015
Taylor's power law, 1490
Tetranychus cinnabarinus, 858
Tetranychus viennensis, 858
Tetranychus viennensis,
acaricidal activity, 858
Kochia scoparia, 858
Tetranychus cinnabarinus, 858
Tetranychus urticae, 858
thiacloprid, 383, 1722
Anoplophora glabripennis, 383
azadirachtin, 383
control, 1722
emamectin benzoate, 383
imidacloprid, 383, 1722
Rhagoletis indifferens, 1722
spinosad, 1722
three-dimensional,
Ascosphaera aggregata, 626
color contrast, 626
Megachile rotundata, 626
nest location, 626
threshold,
critical density, 987
Myzus persicae, 987
pest management, 987
sampling statistics, 987
Thrips palmi,
essential oils, 1733
natural fumigant, 1733
natural insecticide, 1733
Orius strigicollis, 1733
Tiphia vernalis,
compatibility, 288
fungicides, 288
herbicides, 288
insecticides, 288
TM Biocontrol-1,
efficacy, 14
nucleopolyhedrovirus, 14
Orgyia pseudotsugata, 14
storage, 14
tolerance,
nitrogen fertilizer, 2030
rice, 2030
rice water weevil, 2030
tolerance index,
antibiosis, 1854
Diuraphis noxia, 1854
insect resistance categories, 1854
proportional plant dry weight loss, 1854
tomato, 331, 437, 828
Amegilla, 437, 828
Bemisia tabaci, 331
bluebanded bee, 437
Bombus, 828
buzz-pollination, 828
greenhouse, 828
Lycopersicon, 437
pollination, 437
sampling, 331
Trialeurodes vaporariorum, 331
within-plant distribution, 331
tospovirus,
acephate, 764
Frankliniella fusca, 764
imidacloprid, 764
pest management, 764
toxic baiting,
processed meat, 263
Vespula germanica, 263
toxicant transfer,
chlorfenapyr, 886
nonrepellent termiticides, 886
pyrroles, 886
Reticulitermes flavipes, 886
toxicity, 308, 469, 1369, 1920
acrolein, 1920
Anoplophora glabripennis, 308
Aphis pomi, 1369
Aphis spiraecola, 1369
cyanogen, 308
ethanedinitrile, 308
fumigant, 308
fumigation, 1920
insect, 1920
insecticides, 1369
residue, 469
susceptibility, 1369
termiticide, 469
wheat, 1920
toxins,
Bt, 508
Epiphyas postvittana, 508
feeding, 508
movement, 508
transgenic corn, 494, 502, 1085, 1641
Bacillus thuringiensis, 1085
Bt, 1641
corn rootworm, 1085
Cry3Bb1, 1085
dispersal, 1641
European corn borer, 1641
F_2 screen, 502
inheritance, 494
insect predators, 1085
Ostrinia nubilalis, 494, 502
resistance, 494
resistance management, 502
transgenic cotton,
Bacillus thuringiensis, 1835, 1835
Plant-Incorporated-Protectant, 1835
transgenic crops, 899, 1525, 2116
Bacillus thuringiensis, 1525
cotton bollworm, 2116
economic thresholds, 899
effective refuge, 2116
fitness cost, 2116
insect resistance management, 2116
IPM, 899
molecular screening, 1525

resistance management, 1525
sampling, 899
western corn rootworm, 899
transgenic maize,
biotechnology derived trait, 722
western corn rootworm, 722
transgenic plants,
Bacillus thuringiensis, 2091
multiple toxins, 2091
two-locus, 2091
transgenic white spruce,
antagonism, 2038
Btk toxin, 2038
spruce budworm, 2038
tannins, 2038
transgenics,
behavior, 927
Cry3Bb1, 927
survival, 927
western corn rootworm, 927
transmission,
Matsumuratettix hiroglyphicus, 1531
phytoplasma, 1531
sugarcane white leaf disease, 1531
Yamatotettix flavovittatus, 1531
transpiration,
Diaprepes abbreviatus, 811
net CO_2 assimilation, 811
stomatal conductance, 811
trap crops,
Anastrepha ludens, 1184
Citrus paradisi, 1184
gibberellic acid, 1184
pest management, 1184
trap-mulch,
Argentine ant, 1757
insecticide, 1757
management, 1757
repellent, 1757
trapping, 323, 1675
Anthonomus grandis, 1675
Anthonomus grandis grandis, 323
boll weevil, 323, 1675
grandlure, 1675
pheromone, 323, 1675
traps, 1415, 1651
attraction, 1651
behavior, 1651
Broce trap, 1415
field control, 1651
Nzi trap, 1415
Olson trap, 1415
stable fly, 1415
visual response, 1651
Trialeurodes vaporariorum, 331, 1143
Bemisia tabaci, 331, 1143
feeding preference, 1143
Macrolophus caliginosus, 1143
sampling, 331
tomato, 331
within-plant distribution, 331
Tribolium confusum,
diatomaceous earth, 1899
insect strain, 1899
physical control, 1899
stored wheat, 1899
Trichogramma,
augmentation, 1080
Habrobracon, 1080
packaging, 1080
Trichogramma australicum,
identification, 2142
internal transcribed spacer-2, 2142
Trichogramma pretiosum, 2142
Trichogramma pretiosum,
identification, 2142
internal transcribed spacer-2, 2142
Trichogramma australicum, 2142
Trichoplusia ni, 937, 1120
Beauveria bassiana, 1120
direct spray contact, 1120
insect resistance monitoring, 937
physiological fitness, 937
residual activity, 1120
susceptibility, 937
triple mark–capture,
fipronil bait, 455
Odontotermes formosanus, 455
Triticum aestivum, 544, 757, 959, 1862
biotype, 959, 1862
biotype 2, 544
bread-making quality, 757
development, 544
Diuraphis noxia, 544, 1862
high-performance liquid chromatography, 757
plant resistance, 959, 1862
reproduction, 544
Schizaphis graminum, 959
sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 757
Sorghum bicolor, 959
sunn pest, 757
Tsuga canadensis,
Adelges tsugae, 1500
individual trees, 1500
sequential sampling, 1500
turfgrass, 203, 212, 1129, 1583, 1699
Agrotis ipsilon, 1129
baculovirus, 1129
biological control, 1583
black cutworm, 1129
Blissus, 203, 212
chinch bug, 203, 212
grubs, 1699
host plant resistance, 1699
Japanese beetle, 1699
Megacephala carolina carolina, 1583
microbial control, 1129
plant resistance, 203, 212
Prosapia bicincta, 1583
sorghum, 203, 212
Spodoptera frugiperda, 1583
two-locus,
Bacillus thuringiensis, 2091
multiple toxins, 2091
transgenic plants, 2091
twospotted spider mite,
Acramite, 1291
Neoseiulus californicus, 1291
Phytoseiulus persimilis, 1291
strawberry, 1291
Tyrophagus putrescentiae,
Cheyletus malaccensis, 229
diatomaceous earth, 229
stored wheat, 229

U

Uraba lugens,
Btk, 780
Eucalyptus, 780
Mimic, 780
spinosad, 780
uric acid,
biological molecules, 873
body water, 873
Reticulitermes, 873
vigor, 873

V

Vaccinium,
blueberry, 1474
host suitability, 1474
Illinoia pepperi, 1474
Vaccinium angustifolium,
Bombus impatiens, 443
bumble bee, 443
lowbush blueberry production, 443
pollination, 443
Varroa destructor, 1046, 1579
Apis mellifera, 1579
Apistan, 1046
bioassay, 1579
carboxylesterase, 1046
cytochrome P450 monooxygenase, 1046
glutathione *S*-transferase, 1046
LD_{50}, 1579
oxalic acid, 1579

vector, 578, 2185
aphid, 2185
Banana bunchy top virus, 2185
circulative virus, 2185
field sampling, 578
grape, 578
leafhopper, 578
Taylor's power law, 578
vegetable protection,
cabbage, 450
insecticide treated net, 450
mosquito netting, 450
Plutella xylostella, 450
vegetation indices,
greenbug, 1682
remote sensing, 1682
spectral signatures, 1682
wheat, 1682
Venturia canescens, 237, 2191
biological control, 237
competition, 2191
Ephestia kuehniella, 2191
Harbobracon hebetor, 2191
life tables, 237
SADIE, 2191
stored products, 237
Vespula germanica,
processed meat, 263
toxic baiting, 263
vigor,
biological molecules, 873
body water, 873
Reticulitermes, 873
uric acid, 873
vineyard,
mating disruption, 1280
microencapsulated pheromone, 1280
Planococcus ficus, 1280
sex pheromone, 1280
visual response,
attraction, 1651
behavior, 1651
field control, 1651
traps, 1651
volatiles,
Anastrepha ludens, 1994
attractants, 1994
Casimiroa edulis, 1994
gas chromatography-electroantennographic detection, 1994

W

wastewater,
adjuvants, 1065
Bacillus thuringiensis, 1065
formulations, 1065
sludge, 1065
weather,
corn, 2002
Ostrinia nubilalis, 2002
pheromone traps, 2002
windbreaks, 2002
western corn rootworm, 685, 722, 899, 927
adaptation, 685
behavior, 927
biotechnology derived trait, 722
crop rotation, 685
Cry3Bb1, 927
economic thresholds, 899
IPM, 899
microsatellite, 685
population genetics, 685
sampling, 899
survival, 927
transgenic crops, 899
transgenic maize, 722
transgenics, 927
wheat, 1017, 1682, 1905, 1920
acrolein, 1920
barley, 1905
control, 1017
diatomaceous earth, 1017, 1905
Ephestia kuehniella, 1905
fumigation, 1920
greenbug, 1682
insect, 1920
movement, 1017
remote sensing, 1682
Rhyzopertha dominica, 1017
rye, 1905
spectral signatures, 1682
toxicity, 1920
vegetation indices, 1682
wheat resistance,
amylase inhibitors, 2146
R. dominica isoamylases, 2146
wheat–aphid interaction,
reverse Northern, 1430
suppression subtractive hybridization, 1430
white grub,
Cylas, 1877
Diabrotica, 1877
Ipomoea, 1877
plant resistance, 1877
whitehead,
Diatraea saccharalis, 1867
Eoreuma loftini, 1867
plant resistance, 1867
rice, 1867
wild populations,
Ceratitis capitata, 1420
microsatellites, 1420
polyandry, 1420
windbreaks,
corn, 2002
Ostrinia nubilalis, 2002
pheromone traps, 2002
weather, 2002
within-plant distribution,
Bemisia tabaci, 331
sampling, 331
tomato, 331
Trialeurodes vaporariorum, 331
worker mortality,
active contact, 634
digging behavior, 634
passive contact, 634
red imported fire ant, 634

X

x-ray, 1138, 1974
coconut scale, 1138
phytosanitary treatment, 1138, 1974
Pseudaulacaspis pentagona, 1974
quarantine pest, 1138, 1974
x-ray irradiation,
phytosanitary treatment, 32
quarantine pest, 32

Y

Yamatotettix flavovittatus,
Matsumuratettix hiroglyphicus, 1531
phytoplasma, 1531
sugarcane white leaf disease, 1531
transmission, 1531

Z

(Z)-9-tetradecenol,
(Z)-9-tetradecenyl acetate, 797
Copitarsia decolora, 797
Noctuidae, 797
sex pheromone, 797
(Z)-9-tetradecenyl acetate,
(Z)-9-tetradecenol, 797
Copitarsia decolora, 797
Noctuidae, 797
sex pheromone, 797
Zea mays, 728, 2164
corn earworm, 728, 2164
genetically modified, 2164
genetically modified crop, 728
Helicoverpa zea, 2164
intraguild predation, 728
plant resistance, 2164